		ra:
Scout Report sent out		1.1
Noted in the NID File		
Location map pinned		
Approval or Disapproval Letter	Maria Salaha	
Date Completed, P. & A. or operations suspended		· · · · · · · · · · · · · · · · · · ·
Pin changed on location map		
Afficiant and Record of A & P		•
Wate, Shut-Off Test		Q
Gas-Oil Katio Test		
Well Log Filed		

FILE NOTATIONS		
Entered in NID File	Checked by Chief	
Entered On S R Sheet	Cop, NID to Field Office	
Location Map Pinned	Approval Lation	
Card Indexed	D'anaprove Latter	
TWR for State or Tag Land		
COLP. TION DATA.		
Data Well Completed 9-19-58	*Location inspected	
OW WWW TA	Thond referred	
GW CS PA	State of Fee Land	
LOGS F DriTer's Log 2-/6-59	FILED	
Electric Logs (No. 1 3	$\frac{1}{N} \frac{dx}{dx} = \frac{1}{N} \frac{dx}{dx}$	
E	GR. GR-N Micro	
Lat Mi-L Soni	The state of the s	12
	7	Del

UTAH OIL AND GAS CONSERVATION COMMISSION REMARKS:X Nav-14-20-7-18-58 DATE FILED 603-4495 INDIAN LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. DRILLING APPROVED:7-18-58 8-15-58 SPUDDED IN: 9-14-58 COMPLETED: 1720 BOPD W740 MCF6/D INITIAL PRODUCTION: GRAVITY A. P. I. 430:1 GOR: 1-76:5407-12 5380-5532 PRODUCING ZONES: 5604 TOTAL DEPTH: 4591 UG 4597 DF WELL ELEVATION: DATE ABANDONED: FIELD OR DISTRICT : MCELTO Creek San Juan COUNTY: NAVAJO C - 1 WELL NO. QUARTER - QUARTER SEC.12 FT. FROM (E) (W) LINE. SE NE LOCATION: 144 FT. FROM (N) (E) LINE, TWEE SEC. OPERATOR RGE. RGE. SEC. OPERATOR TWP.

GEOLOGIC TOPS:

	GEOLOGIC TOPS:				
QUATERNARY	Star Point	Sinbad	Brazer		
Recent	Wahweap	PERMIAN	Pilot shale		
Alluvium	Masuk	Kaibab	Madison		
Lake beds	Colorado	Coconino	Leadville		
Pleistocene	Mancos	Cutler 2433	Redwall		
Lake beds	Upper	Hoskinnini	DEVONIAN		
TERTIARY	Middle	DeChelly 2480	Upper		
Pliocene	Lower	White Rim	Middle		
Humboldt	Emery	Organ Rock 1640	Lower		
Salt Lake	Blue Gate	Cedar Mesa	Ouray		
Miocene	Ferron	Halgaite tongue	Elbert		
Bishop conglomerate	Frontier	Phosphoris	Guilmette		
Oligocene	Dakota	Park City	Simonson dolomite		
Norwood	Burro Canyon	Rico (Goodridge)	Sevy dolomite		
Eocene	Cedar Mountain	Supai	North Point		
Duchesne River	Buckhorn	Bird Springs	SILURIAN		
Uinta	JURASSIC .	CARBONIFEROUS	Laketown do lomite		
Bridger	Morrison	Pennsylvanian	ORDOVICIAN		
Green River	Salt Wash	Oquirrh	Eureka quartzite		
Uppe r	San Rafeal Gr.	Weber	Pogonip limestone		
Middle	Summerville	Morgan	CAMBRIAN		
Lower	Bluff sandstone	Hermosa 4403	Lynch ,		
Wasatch	Curtis .	Upper	Bowman		
Colton	Entrade	Lower	Tapeats		
Flagstaff	Moab tongue	Molas	Ophir		
Almy	Carmel	Paradox 535]	Tintic		
Paleocene	Glen Canyon Gr.	Α	PRE-CAMBRIAN		
Current Creek	Navajo	В			
North Horn	Kayento	С			
CRETACEOUS	Wingate	Manning Canyon			
Montana	TRIASSIC	Mississippian			
Mesaverde	Chinle 1300	Chainman shale			
Price River	Shinarump 2213	Humbug			
Blackhawk	Moenkapi 23	Joana limestone			
Winter Courses Winner #78845.8					

Form 9-331 b (April 1952)			




(SUBMIT IN TRIPLICATE)

	Approval expires 12-31-60.
, bannan	Agency Navaje
	Fuel buch

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	SUNDRY N	NOTICES	ANI	D REPC	RTS	ON WELLS	
NOTICE OF	NTENTION TO DRILL		X	SUBSEQUENT R	EPORT OF V	VATER SHUT-OFF	
NOTICE OF I	NTENTION TO CHANGE PLA	NS		SUBSEQUENT R	EPORT OF S	HOOTING OR ACIDIZING	
	NTENTION TO TEST WATER		!	SUBSEQUENT R	EPORT OF A	LTERING CASING	-
	NTENTION TO REDRILL OR					EDRILLING OR REPAIR	
	NTENTION TO SHOOT OR AU			SUBSEQUENT R		BANDONMENTTORY	
	INTENTION TO ABANDON WE					1001	
	(INDICATE A	ABOVE BY CHECK MA	ARK NATU	_	_		
	Kavajo "C"	. 1 1960 c	 ا ا		lo.	. El.	
Vell No BE/4 NE.	is locat	Als	trom	line and		ft. from $\{E_i\}$ line of so	ec
	c. and Sec. No.)	(Twp.)		inge)		dian)	
Moklimo ((Field)	San Jua	a Coa	nty		Vtah	
State names o	of and expected depths to o			OF WORK	_	ed casings; indicate mudding	; jobs, cement
orill 17 cement to sement to 5-1/2" o	7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing points, and d in points, and d	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 5-5/8" Complete in Pa	r pipe a casing a 5600'. r
orill 17 cement to cement to 5-1/2" (7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing points, and d in points, and d	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600°. r
orill 17 cement to sement to 5-1/2" o	7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing providente	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600'. r
orill 17 cement to sement to 5-1/2" o	7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing providente	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600'. r
orill 17 cement to cement to 5-1/2" (7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing providente	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600°. r
orill 17 cement to sement to 5-1/2" o	7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing providente	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600°. r
orill 17 cement to sement to 5-1/2" o	7-1/4" hole to a to surface. Dri to surface. Pri tasing and common	bjective sands; show ing points, and d ing points, and d ing providente	v sizes, we all other	OF WORK eights, and leng important prop of set 1 approximation total	ths of propososed work) 50° of tely 15	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a 5600°. r
orill 17 coment t sement t 5-1/2" (formation	7-1/4" hole to a to surface. Dri to surface. Dri pasing and semso m.	bjective sands; show ing points, and sands and sands and sands and sands are	v sizes, we all other to the to the to the total to the total to the total tot	OF WORK eights, and leng important prop portant approximate total ately 250	ths of propososed work) 50 of tely 15 depth o	13-3/8" conducto 00', set 6-5/8" f approximately	r pipe a casing a \$600°, r
Drill 17 Coment to Sement to 5-1/2" of	rel/4" hole to a confidence. Dri co surface. D	bjective sands; show ing points, and a points, and a points, and a points are a points. The points are a point are a points are a points are a points are a points are a point are a points are a points are a points are a points are a point are a points are a points are a points are a points are a point are a points are a points are a points are a points are a point are a points are a points are a point are a	v sizes, we all other last to the last to	OF WORK eights, and leng important prop portant approximate total ately 250	ths of propososed work) 50 of tely 15 depth o	13-3/8" conducto 00', set 6-5/8" Camplete in Pa	r pipe a casing a \$600°, r
Orill 17 cement t cement t 5-1/2" (formation	rel/4" hole to a confidence. Dri co surface. D	bjective sands; show ing points, and show ing points, and show ing points, and show ing points and show in the sho	v sizes, we all other last to the state of t	OF WORK eights, and leng important prop portant approximate total ately 250	ths of propososed work) 50 of tely 15 depth o	13-3/8" conducto 00', set 6-5/8" Camplete in Pa	r pipe a casing a \$600°, r
Junderstan	P-1/4" hole to a confidence. Drive surface. Drive s	bjective sands; show ing points, and some continuate. 11 11" bold 11 7-7/8" in twith approved the continuation of the contin	v sizes, we all other last to the state of t	OF WORK eights, and leng important prop portant approximate total ately 250	ths of propososed work) 50 of tely 15 depth o	13-3/8" conducto 00', set 6-5/8" Camplete in Pa	r pipe a casing a \$600°, r

Company	PHILLIPS	PETHOLEUM	COMPANY	# 9 # # # # # # # # # # # # # # # # # #
Lease	Navajo	だいじゃく えおものひと ひかさのかなむかのち てぐて かと・	WW	ell No C - J
Sec. 12	morroscum, Tosas	. S.	, R 24 E.	S. L. M.
	1960' FROM		H LINE ANI) 555' FROM
Whatehion	45 91. 0 t	INGRADED G	ROUND.	



Scale-4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Land Surveyor.

James P. Leese

Utah Reg. No. 1472

Surveyed 16 July 19.58

Phillips Petroleum Company 1200 Denver Club Building Denver 2, Colorado

Attention: W. M. Schul, Division Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo C-1, which is to be located 1960 feet from the north line and 555 feet from the east line of Section 12, Township 41 South, Range 24 East, SLEM, San Juan County, Utah.

Please be advised that insofer as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEICHT SECRETARY

CBF:on

CC

cc: Phil McGrath USGS, Fermington, New Mexico

PHILLIPS PETROLEUM COMPANY

1200 Denver Club Building Denver 2, Colorado

July 23, 1958

71-14 8-11-58

Mr. P. T. McGrath District Engineer United States Geological Survey Box 965 Farmington, New Mexico

Dear Mr. McGrath:

Please refer to our Form 9-331 dated July 17, 1958, Notice of Intention to Drill our Navajo "C" #1 in the SE/4 NE/4 Section 12-41S-24E, San Juan County, Utah. On the form we showed the location of this well to be 1960' SNL and 555' WEL of Section 12. Since filing this report with you we have moved this location 120' north so that the well will now be located 1840' SNL and 555' WEL of Section 12.

We are in the process of discontinuing our Production Department office here in Denver and opening up a new office in the Wilson Building at Cortez, Colorado. Operations in San Juan County, Utah, will be supervised from our Cortez office.

It is probable that we will not receive the new plats which show the location of this well since it has been moved prior to the time we close the Denver office. By means of this letter, therefore, we are informing you of a change in the location and ask that you make the change on the Form 9-331 which you now have.

Within the near future, probably from the Cortez office, we will forward you a revised Form 9-331 together with the plats as revised.

Very truly yours,

PHILLIPS PETROLEUM COMPANY

W. M. Schul

Division Superintendent

WMS:1b CC: Mr. Cleon B. Feight∨

Utah Oil & Gas Conservation Commission

18

Navajo "C"

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ALLOTTEE	Tribal		
TRIBE	Navajo		
L FASE NO	15-20-60	3-4495	

		1 20 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	ישואת אישיעי או אישיארא
2 12 42 42 14 14 . A	IVALULU BUNCH IN W		
			OPERATIONS
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

					t report of			oduction (i	including o	drilling and producin
								mpany <b>P</b>	hillins F	gtroleum Company
			C	ortes,	Colorado		Sic	sn.ed.	19	Johnson
Dhone			L	ogan f	-3426		A A	antin title	C. %.	Johnson
none .								enc s cicie	Distri	ct Superintendent
Sec. and 14 of 14	TWP.	RANGE	Well No.	Days Produced	Barrels of Oil	GRAVITY	Cv. Fr. of Gas (In thousands)	Gallons of Gasoline Recovered	BARRELS OF WATER (U none, so state)	REMARKS (If drilling, depth; if shut down, caus date and result of test for gasoline content of gas)
						-				
NE c. 12	413	24E	1	0	0	•	0		0	Location.
			100							and the second of the second
								1		
					18 114 1					
							**.			
										en de la companya de La companya de la co
			1, 4							
	. 15									
						1				
4.										
			1							
			<b> </b>							

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in

duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329A (December 1948)

(A	n 9-3 pril 19	52) 52)	
			 ŀ
			 ŀ

### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

',				
Allo	toe	ribe	<b>1</b>	
Leas	No	4-20	-603	449

NOTICE OF INTENTION TO DRILL		x	GUDGEOUE:- S	T AT WATER COURT AFT	
NOTICE OF INTENTION TO CHANGE				T OF WATER SHUT-OFF T OF SHOOTING OR ACID	1
NOTICE OF INTENTION TO TEST WAT				T OF ALTERING CASING	1
NOTICE OF INTENTION TO REDRILL			1	T OF REDRILLING OR RE	1
NOTICE OF INTENTION TO SHOOT OF			1	T OF ABANDONMENT	į
NOTICE OF INTENTION TO PULL OR			1	LL HISTORY	1
NOTICE OF INTENTION TO ABANDON	WELL				
(INDICA	TE ABOVE BY CHECK	K MARK NAT	URE OF REPORT, NOTIC	E, OR OTHER DATA)	
Samuel A. M. M. M.		Corte	s, Colo,	August 4.	
avajo "C"			(N)	e c Els	
ell No. 1 is lo	cated AUQU	ft. from	line and	$ft. from \begin{Bmatrix} E \\ Y \end{Bmatrix} li$	ine of sec. 12.
E/4,85/4,5ec.12	قلة		26.5°		
(1/4 Sec. and Sec. No.)	(Twp.)	(R	ange)	(Meridian)	
Molila Creek	ුහා .	Juan Co	unty	Ütah	
(Field)	ded croud	County or Su	ıbdivision)	(State or T	erritory)
rill 17-1/4" hole to	ing points, a	nd all other	important proposed v	of 13-3/8" oo	nductor cics
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" casing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to emont to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  Outproximate  All 11" he  All 7-7/8"	tely 15 ole to 'hole	important proposed v  O'. set 150'  approximately  to t tal dept	of 13-3/8" on y 1500', not 8 th of accommin	nduotor pipe -5/8" casing atoly 5600!
rill 17-1/4" hole to ement to surface. I ement to surface. I un 5-1/2" cacing and	ing points, a  O OPPROXIMAT  ATILL 7-7/6  I coment wit	iely 15 ols to 'hole'	important proposed via a set 150° approximately to t tal. depter contact at a set 150° approximately 250° and a set 150° approximately 250° approx	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in cara
rill 17-1/4" hole to percent to surface. If execut to surface. If un 5-1/2" cacing and ornation.	ing points, a  Opproximate  rill                    rill                  coment with	iely 15 ols to 'hole '	important proposed via a set 150° approximately to t tal. depter contact at a set 150° approximately 250° and a set 150° approximately 250° approx	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in cara
rill 17-1/4" hole to ement to surface. If ement to surface. If the surface and ornation.  I understand that this plan of work ompany Phillips Total	ing points, a provided the prov	iely 15 ols to 'hole '	important proposed via a set 150° approximately to t tal. depter contact at a set 150° approximately 250° and a set 150° approximately 250° approx	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in Pare
rill 17-1/4" hole to ement to surface. If ement to surface. If the surface and ornation.  I understand that this plan of work ompany Phillips Total	ing points, a provided the prov	iely 15 ols to 'hole '	important proposed via a set 150° approximately to t tal. depter contact at a set 150° approximately 250° and a set 150° approximately 250° approx	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in Pare
rill 17-1/4" hole to ement to surface. If ement to surface. If the surface and ornation.  I understand that this plan of work ompany Phillips Total	ing points, a provided with 11 % he will 7-7/6 % coment with the coment will be coment with the coment will be coment with the coment with the coment will be	iely 15 ols to 'hole '	important proposed via a to t tal. dept coming ately 250	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pipe -5/8" casing ately 5600° lete in Para
rill 17-1/4" hole to enout to surface. If event to surface. If event to surface. If and ornation.  I understand that this plan of work ompany willing other discussions.	ing points, a provided with 11 % he will 7-7/6 % coment with the coment will be coment with the coment will be coment with the coment with the coment will be	iely 15 ols to 'hole '	important proposed via a set 150° approximately to t tal. depter contact at a set 150° approximately 250° and a set 150° approximately 250° approx	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in Pare
Company Phillips Foton	ing points, a provided with 11 % he will 7-7/6 % coment with the coment will be coment with the coment will be coment with the coment with the coment will be	iely 15 ols to 'hole ' sh ap r	important proposed via a to t tal. dept coming ately 250	of 13-3/8" con y 1500', sot 8 th of approxim O sacks. Compi	nductor pape -5/8" casing ately 5600' lete in cara

August 7, 1958

Phillips Petroleum Company P. O. Box 548 Cortez, Coloredo

Attention: C. E. Johnson, District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill showing the change of location for your Well No. Navajo C-1.

Please be advised that insofar as this office is concerned, approved to drill said well 1840 feet from the north line and 555 feet from the east line of Section 12, Township 41 South, Bange 24 East, SLBM, San Juan County, Utah, is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT SECRETARY

CEF:00

cc: Phil McGrath

USGS, Farmington,

New Mexico

₹0

	<b>n 9-</b> 8 pril 19	



### (SUBMIT IN TRIPLICATE)

		Budget Approv
Y'	IIIsi	n Agency

Bureau No. 42-R359.4.

	Approve	a capites 12 of oo.
ln an	Agency	W

## **UNITED STATES** DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Allottee	
	Tribal
Lease No	)
	14-20-603-449

SUNDRY NOTICES AND REPORTS ON WELLS

	V
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL	-

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo "C" Well No1	Cortes, Colorate is located 1840 ft. from ${N \brace S}$ line and 555	August 18.  ft. from $E \}$ line of sec.	9 <b>58</b> <b>12</b>
(½ Sec. and Sec. No.)	(Mgp.) 2 (Mge) S. J. (Mgg)	feridian)	
Ma 110 Creek (Field)	County or Subdivision	distate or Territory)	
The elevation of the	per above sea level is 4594.6 ft.  DETAILS OF WORK		

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 1:30 PM 8-14-58. Drilled 12-1/4" hole to 170". Reamed 17-1/4" hole to 162" in sand. Set & comented 13-3/8" Casing at 161' w/ 175 ex. Neat Neg. Coment. Pumped plug to 130' noon 8-16-58. Coment circulated - 35 ex. out. Tested cag. to 500# - 30 Nin. OK. WOC 36 hrs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Phillips Petroleus Co. Address Box 548 Cortes, Colorado Title

# Form 9-331 b (April 1952)

### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

<b>\</b>	Budget l Approva	Bureau No I expires 12	. 42-R359.4. 2-31-60.
,	Indian Agency	"araj	0
	Allottee	ribal	
	16-	20-60	1. J. OK

I understand that this plan of work Company 11111ps 2  Address Box 548  Cortex Col	troleum Co.	in writing by the Geold	411	Hetter	menced.
Company 11111ps 8		l in writing by the Geolo		1 1	menced.
		in writing by the Geolo	<b>5.00.</b> 0 - <b>0.0</b> 0.0	peractions may be come	menced.
			orical Survey before	merations may be com	_
iacel "D", 620% Calci eat Cement on bottom. an 15 ex. cement w/ 2 AM 8-20-58.	liole bridge	d Leaving 167	useant on	top of Most	collar
rilled li" hele to 13 D. 24#, J-55, ST&C, R	lg.2. Casing a	6 1315 3K W/	330 ax. Nea	t Cement. 12	6 ax.
State names of and expected depths to					
		AILS OF WORK			
he elevation of the decide	above sea	level is 4524.0 ft	<b>.</b> .		
(Field)	led Graand	nty or Subdivision)	,	(State or Territory)	
ollmo Creek	San Juan		ី <b>t</b> ah		
(½ Sec. and Sec. No.)	415 (Twp.)	(Range)	(Meridian)		
Vell No1 is loc	cated 1840ft. 1	from { } line and	tt. from	line of sec.	
Navajo "C"	. 12010 (	r (N),	RKK C. C	(E),	12
	Cortes	• Colorado	August 30,	1950	. 19
(INDICA	TE ABOVE BY CHECK MAI	RK NATURE OF REPORT,	NOTICE, OR OTHER DA	ATA) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
MOTICE OF INTENTION TO ABANDON	WELL				
NOTICE OF INTENTION TO PULL OR NOTICE OF INTENTION TO ABANDON		SUPPLEMENTAR	RY WELL HISTORY	· · · · · · · · · · · · · · · · · · ·	
NOTICE OF INTENTION TO SHOOT OF			EPORT OF ABANDON		
			REPORT OF ALTERING REPORT OF REDRILLI	IG OR REPAIR	
NOTICE OF INTENTION TO REDRILL	CED SUUT OFF			OR ACIDIZING	
NOTICE OF INTENTION TO CHANGE INTENTION TO TEST WAT NOTICE OF INTENTION TO REDRILL	PLANS	CURCEOUTHE D			



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Ar	provai expires	3 12-31-60.
	ALLOTTEE TO	bel	
K	TRISE NAT	<b>7</b> a.jo	

# LESSEE'S MONTHLY REPORT OF OPERATIONS

gent's address P. O. Box 548  Cortes, Colorado											
hone Logan 5-3426								Agent's title F. W. Shelton			
ec. and 4 of 14		Range	WELL No.	DAYS PRODUCED	BARRELS OF OIL		Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS  (If drilling, depth; if shut down, or date and result of test for gasoli content of gas)	
NE . 12	413	24B	1	0	0		0		0	Drlg. at 4025'.	

Note.—There were ______ runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Fo	rm Apri	9 <b>-331</b> l 1952)	db	

#### (SUBMIT IN TRIPLICATE)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

•	Budget Bureau No. 42-R359 Approval expires 12-31-60.
	ot avel

Indian Agency	
Tri.	bel

Allottee	Tibal
	14-20-603-449
	Tri-co-ocy-day.

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Antres,	COTOLSIGO	-07, ZO	19
Havaje "C" Well Nois loca	ted <b>1840</b> ft.	from ${N \atop K}$ line	and 555 ft.	from	. 12
SEATE Sec. 12	415	24E	SLM	<i>(</i> )	
(¼ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian	)	
HcElmo Creek	ion Juan	County	ŧ	Utah	
(Field)	(Cor	ınty or Subdivision)		(State or Territory)	
[in/email.ne	American A		,		

The elevation of the state above sea level is the ft.


#### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Tested 8-5/8" casing at 500# - 30 min. o.k. Drilled 7-7/8" hole to 5597' in lime and shale. Fan Schlumberger Induction & Micro Caliber logs to 5600', drilled 7-7/8" hole to 56041. Set and cemented 153 jts. 5-1/2" OD, J-55 8 rd the ST&C 83 cesing at 5603.87' w/132 am neat reg. coment, 100 sm Siacel D, 5 am calcium chloride. Pumped plug to 5568.80' at 12:45 AM 9/13/58. ROC 24 hrs, tested casing 750# for 30 min. - o.k.

Company	hillips Petroleum Company	
	F. G. Box 548	
	Cortez, Colorado	By Control
		Title C. M. Boles District Superintendent

Form.	9-330



U. S. LAND OFFICE NEVA JO SERIAL NUMBER 14-20-603-4495 LEASE OR PERMIT TO PROSPECT TIME

# **UNITED STATES**

### DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

TO TOO TOO TO THE SURVEY

TO TH

\$ 50 to		L CORRECTLY					- 10		
or Intern	The State of the S					s P.O. Nex	se		
Lessor	or Tract	Baya jo_'	*C*		Field -	McKlaso Creek	يديد State	Utah	
Well N	ſ <b>ő. 1</b>	Sec. 12.	T. <b>Als</b> R <b>2</b>	Mei	ridian SIM	Co	unty 🏜	ı Juan	
Locatio	on <b>1840</b>	ft. S of	Line an	d <b>555</b> ft	of R	Line of	12	Eleva	ıtion <b>4597</b>
T	ne inform	ation given h	erewith is	a comple	te and correc	t record of the v	vell and all	work d	lone thereon
so far :	as can be	determined f	rom all ava	ulable rec	rords	- 1 · 1	1		
_11, *	AR WY	layar - quint	Suot * A	ag aya 📆		Caprillon 1			
				0.2	7.11	Title M			
24) 	ie summa	ry on this pa	ge is for th	e conditi	on of the well	at above date.			ිට්රය මෙකිස්ද මුල්
Comm	enced dri	ungAug	nt 12	, 1¢	95. Finish	ed drilling	Jep Lembi	r-12	19_56_
			OIL	OR GA	AS SANDS O	R ZONES			
	from		ing single state of the state o	•	Denote gas by G)	• • • • • • • • • • • • • • • • • • •			;
NT. 0	atom:-: f	M. J. O. J. B. B. B. J.	_ <b>to</b>	u mu ida W galgar	No. 4,	from	to	i gw	10 65775 F
110. 2,	irom		- to		No. 5,	from	:to		
No. 3,	from		. to		No. 6,	from	tò		
in graying mut.									
			IN	/IPORTA	NT WATER	SANDS			107.42%
Notes:	Gav r	corded in	IN Havaje s	nd Wing	pate Segment	SANDS	em ke _{to}		
Mtqr	Gav r	corded in	IN Havaje s	nd Wing	pate Segment	SANDS	em ke _{to}		
<b>N6:1</b> ; No. 2,	ffoni	<b>***********</b> ***	to	od May	No. 4.	SANDS	<b>sau 450</b> to	, 2002 <b>94</b> 1922 <b>34</b>	1
No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	to	cas	No. 4,	sands  from  RD	to	, 4 0 2 8 4 17 8 4 48 18 10 6 1	TOTALS  CONTROL  CONT
No. 2,	ffoni	<b>***********</b> ***	to	od May	No. 4.	SANDS	to	, 4 0 2 8 4 17 8 4 48 18 10 6 1	1
No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	to	cas	No. 4,	sands  from  RD	to	LESS SE	TOTALS  CONTROL  CONT
No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	Make  Armso	CAS Amount	No. 4, ING RECOR	from Cut and pulled from Design Heart Education Design Heart Education Design Heart Education	Perfora	LESS SE	TOTALS  CONTROL  CONT
N6:4; No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	Make  Armso	cas	No. 4, ING RECOR	from  Cut and pulled from	Perfora	LESS SE	Purpose
N6:4; No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	Make  Make	CAS Amount	No. 4, ING RECOR	from  Cut and pulled from  Document associated from  Document associated from  Light associ	Perfora	LESS SE	Purpose  Purpose  Sol Prima  Sol Prima  Sol Prima  Purpose  Purpose
N6:4; No. 2,	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	Make  Make	CAS Amount	No. 4, ING RECOR	from  Cut and pulled from  Documents of Eastern  Documents of Eastern  Documents of Eastern  Documents of Eastern  Eastern and pulled from  Easter	Perfora	ated To-	Purpose  Spin partie  sing unimper  in stepping to the spin partie  in stepping to the spin partie  in stepping to the spin partie  in stepping to the spin partie in the spin partie  in stepping to the spin partie in the s
No. 2,  Size casing	from	90 (1802), 2004 - 0.3 (1802), 2004 - 0.3 (1802)	Make  Make	CAS Amount	No. 4, ING RECOR	from  Cut and pulled from  Cut and pulled from  Design fisser, best fish  Lastes five cut at	Perfore From Perfore From From From From From From From From	ated To-	Purpose  Spin partie  sing unimper  in stepping to the spin partie  in stepping to the spin partie  in stepping to the spin partie  in stepping to the spin partie in the spin partie  in stepping to the spin partie in the s
No. 2,	from	Threads per inch  It is a serie if the serie is a serie in the serie is a ser	Make  Make	CAS Amount  CAS AM	No. 4, ING RECOR	from  Cut and pulled from  Documents of Eastern  Documents of Eastern  Documents of Eastern  Documents of Eastern  Eastern and pulled from  Easter	Perform From  State of the stat	ated To-	Purpose  Purpose  Son partie
No. 2, Size casing	from  Weight per foot  I was a least to be the first to be the	Threads per inch  It is a serie if the serie is a serie in the serie is a ser	Make  Make  Armoo  Armo	CAS Amount  CAS AM	No. 4, ING. RECOR Kind of shoe	from Cut and pulled from Documents of Especial Research Property Control of C	Perform From  State of the stat	ated To-	Purpose  Purpose  Son partie
No. 2, Size casing	Weight per foot  Velght per foot  Wine Rest	Threads per inch  It is a serie if the serie is a serie in the serie is a ser	Make  Make  Anse 100  Anse	CAS Amount  TO POLL TO	No. 4, No. 4, ING RECOR  Kind of shoe	from  Cut and pulled from  Cut and pulled from  Partial Hasen EastHan  pack of LastHan  pac	Perfora From  Am	ated To-	Purpose  Purpose  Solution  Solution  Purpose  Purpose  Purpose  Solution  Purpose  Pur
No. 2, Size casing	from  Weight per foot  I was a second with the	Threads per inch  It is a serie if the serie is a serie in the serie is a ser	Make  Make  Make  Much score  Muddle score	CAS Amount  CAS AM	No. 4, No. 4, ING RECOR  Kind of shoe	from  Cut and pulled from  Cut and pulled from  Portsy fissor issuings  Portsy fissor issuings  Fissor species in as  Alexand species in as  Mud gravity	Perfora From  Am	ated To-	Purpose  Purpose  Solution  Solution  Purpose  Purpose  Solution  Purpose  Purpose  Purpose  Solution  Purpose
No. 2, Size casing	from  Weight per foot  Cyc. 61 16  Cyc. 61 16  Where se	Threads per inch  It is a serie if the serie is a serie in the serie is a ser	Make  Make  And September 199  A	CAS Amount  CAS AM	No. 4, ING. RECOR Kind of shoe  Line And Line Method used	from Cut and pulled from Documents and pulled from Cut and pulled	Perfora From  Am	ated To-	Purpose  Purpose  Solution  Solution  Purpose  Purpose  Purpose  Solution  Purpose  Pur
No. 2,  Size casing  /s  Figure 1961.5  Size casing	from  Weight per foot  Cyc. 61 16  Cyc. 62 16  Where se	Threads per inch  pure des perse f  pure des per	Make  Make  Make  Mudding sure sure sure sure sure sure sure sure	CAS Amount  COMPANIE  CONTROL	No. 4, ING. RECOR  Kind of shoe  Kind of shoe  Company of the state of	from Cut and pulled from Documents and pulled from Cut and pulled	Perfora From  Am	ated To—	Purpose  Purpose  Purpose  Solution  Purpose  Pu

13-3/#

U. S. LAND OFFICE

CCC 2 Pages American No. 42-R355.4.

Form 9-330

		FAIL OF A STATE OF THE STATE OF	· · · · · · · · · · · · · · · · · · ·
Form 9-331 (May 1963)	TED STA	ATES SUBMIT IN TRACEATES	Form approved. Budget Bureau No. 42-R1424
	DEPARTMENT OF THE	HE INIERIOR verse side)	5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-4495
	GEOLOGICAL		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	DRY NOTICES AND Form for proposals to drill or to		
A To not use this	Use "APPLICATION FOR PERM	deepen or plug back to a different reservoir. IT—" for such proposals.)	Navajo
OIL GAS			7. UNIT AGREEMENT NAME
WELL X WELL  2. NAME OF OPERATOR	OTHER		McElmo Creek 8. FARM OR LEGASE NAME
THE SUPERIOR	OIL COMPANY		나는 이 전문 사람들이 나를
3. ADDRESS OF OPERATOR			9. WELL NO.
4. LOCATION OF WELL (R	G, CORTEZ, COLORA	DO rdance with any State requirements.*	#I-18 10. FIELD AND POOL, OR WILDCAT
See also space 17 belo At surface	w.)		McElmo Creek Unit
	FNL and 555' FEL		11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
	SEC. 12, T41S, R24E AN COUNTY, UTAH		Sec. 12, T41S, R24E
14. PERMIT NO.	•	(Show whether DF, BT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
		4598' KB	San Juan Utah
16.	Charle Annuaries Rou	To Indicate Nature of Notice, Report, or (	Other Data
	otice of intention to:		UNNT REPORT OF:
	[]		REPAIRING WELL
TEST WATER SHUT-01 FRACTURE TREAT	PULL OR ALTER CAS MULTIPLE COMPLET		ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING X	
REPAIR WELL	CHANGE PLANS	(Other) Reperforat	e and Acidize
(Other)			s of multiple completion on Well letion Report and Log form.)
proposed work. If nent to this work.)	well is directionally drilled, give	state all pertinent details, and give pertinent dates subsurface locations and measured and true vertice	
None to the training			Single Si
Squeezed of	f all perfs.		
Drilled com	ent to 5431'.		
	with 2 jets per ft.	5363-76', 5407-12' - 36 holes.	Treated perfs
as follows:			
	5000 gal 28% acid		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	5000 gal Petrogel		그는 회사에 되었다. 그리고 있는 <b>경험을</b> 되고 말을 하는 것이 되는 것을 <b>함께</b> 되었다.
		rith 3000# 12/20 Glass Beads	
	4000 gal Petrogel w 3700 gal Petrogel	vith 2000# 8/12 Glass Beads	
	5700 gar recroger		
Swabbed to	clean. Placed well	on pump.	해결 경기 전 유럽 등 제기 및
4/29/66 Pu	mped 64 BO and 182 B	3W in 24 hrs. ✓	
		P	
18. I hereby certify that	the foregoing is true and correct	<u> </u>	
10.20	Miraman	TITLE Production Engineer	DATE 5/18/66
D.	D. Kingman	THE STATES OF STREET	
(This space for Fede	ral or State office use)		
APPROVED BY CONDITIONS OF A	PROVATE IF ANY	TITLE	— PATE
COMPILIONS OF AL	- wy y change and shall be a		
DDV /- 41			<b>10.3</b> 50 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Form 9-331 (May 1963)	UN STATES MENT OF THE INTERIO	SUBMIT IN TRIPLE	Form approved. Budget Bureau No. 42-R1424.
	SEOLOGICAL SURVEY	R verse side)	5. LEASE DESIGNATION AND SERIAL NO.  14-20-603-4495
	CES AND REPORTS O	NI WELLC	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Wo not use this form for propos Use "APPLICA	als to drill or to deepen or plug bac TION FOR PERMIT—" for such prop	N VVELLO  k to a different reservoir.  posals.)	Navajo
OIL X GAS WELL OTHER		01	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR		M	McElmo Creek 8. FARM OR LEASE NAME
THE SUPERIOR OIL COM	PANY		
3. ADDRESS OF OPERATOR	W.		9. WELL NO.
P. O. DRAWER 'G', COM			I-18 10. FIELD AND POOL, OR WILDCAT
See also space 17 below.)		ate requirements.	McElmo Creek Unit
1840' FNL & SE NE SECTION	N 12, T41S, R24E		11. SEC., T., R., M., OR BLK, AND
SAN JUAN COUN	-		SURVEY OR ARMA
14. PERMIT NO.			Sec. 12, T41S, R24E  12. COUNTY OR PARISH   13. STATE
14. FERRIT NO.	15. ELEVATIONS (Show whether DF, R 4598 KB	T, GR, etc.)	San Juan Utah
16. Ch.al. A.	<del></del>	(N) D	
Спеск Ар	propriate Box To Indicate Na		
NOTICE OF INTEN	rion to:	SUBS	SEQUENT REPORT OF:
·	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
	AULTIPLE COMPLETE	FRACTURE TREATMENT SHOOTING OR ACIDIZING	X ALTERING CASING ABANDONMENT*
REPAIR WELL	HANGE PLANS	(Other) Reperfora	
(Other)		Completion or Reco	ults of multiple completion on Well mpletion Report and Log form.)
nent to this work,)	nations (Clearly state all pertinent analy drilled, give subsurface location	details, and give pertinent da ns and measured and true ver	tes, including estimated date of starting any rtical depths for all markers and sones perti-
PBTD - 5428'			
Squeezed off all per	fs with 300 sacks regu	ılar cement.	
Drilled cement to 545	28'.		1.0 (1.0 (1.0 (1.0 (1.0 (1.0 (1.0 (1.0 (
Perforated with 2 jet	ts per ft. 5363-76',	5407-12'.	A Company of the comp
Acidized with 5000 ga	allons 28% acid. Flus	shed with 6500 gal	lons crude.
Swabbed to clean up.			
Placed well on produc	ction 7/18/66.		
Production test 7/19	/66 106 BOPD, 194 BWP	D, 575 GOR.	
•			
			그는 그는 현광하십다 '주는 형소등록' 그 그
	•		그는 그를 취하는 것이 되었다. 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
18. I hereby certify that the foregoing is	true and correct	<u> </u>	
signed D. D. Kingman	m TITLE Pro	oduction Engineer	DATE 8/11/66
(This space for Federal or State offic	ce use)		
APPROVED BY	TITLE		DATE
CONDITIONS OF APPROVAL, IF A	NY:		
>			

# DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

	GEOLOGICAL SURVEY	14-20-603-4495
	SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
1.	OIL A GAS OTHER	7. UNIT AGREEMENT NAME McElmo Creek Unit
2,	THE SUPERIOR OIL COMPANY — Phillips Pet	8. FARM OR LEASE NAME
3.	P. O. DRAWER 'G', CORTEZ, COLORADO 81321)  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*	9. WELL NO. I-18
4.	At surface	10. FIELD AND POOL, OR WILDCAT McElmo Creek
	1840' FNL & 555' FEL Section 12, T41S, R24E San Juan County, Utah	11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA  Sec. 12, T41S, R24E
14.	PERMIT NO.   15. ELEVATIONS (Show whether DF, RT, GR, etc.)   4598 KB	12. COUNTY OR PARISH 13. STATE San Juan Utah
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or C  NOTICE OF INTENTION TO:  SUBSEQUE  TEST WATER SHUT-OFF FRACTURE TREAT  MULTIPLE COMPLETE SHOOT OR ACIDIZE  X  ABANDON*  Check Appropriate Box To Indicate Nature of Notice, Report, or C  SUBSEQUE  WATER SHUT-OFF FRACTURE TREATMENT SHOOT OR ACIDIZE  X  ABANDON*	Other Data  ENT REPORT OF:  REPAIRING WELL  ALTERING CASING  ABANDONMENT*
	(Other) Completion or Recompl	of multiple completion on Well etion Report and Log form.)
17.	DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertice nent to this work.)*  Proposed to square off ovigiting perfect 5363-5/12 with 400 scale.	

Propose to squeeze off existing perfs 5363-5412 with 400 sacks cement. Will drill out to 5465', perforate 5454-58 and squeeze these perfs with 100 sacks cement. Will drill out to 5415'. Will perforate 5366-76, 5407-12 and treat with 5,000 gal 28% acid.

		• •			
8. I hereby certify that the foregoing is true and correct					
SIGNED D. N. Minomen	TITLE _	Production Engineer	_ DATE	6/20/67	
(This space for Federal or State office use)			<b>5</b>		
APPROVED BY	TITLE		DATE		
CONDITIONS OF APPROVAL, IF ANY:	TITIE			35 BESS -	
				ျည်သည် သို့သည်ကြီးလုံး	

Form	9-331
(May	<b>^1963</b> ]

16.

# STATES

SUBMIT IN TRIP

F.		Form a	pprove			
		Budget				
5.	LEASE	DESIGN	ATION	AND	SERTAL	NO.

 	Danker	Dures	LU 11	
LEASE	DESIGN	ATION	AND	NO.

වෙන්න ආදේධයකුණය දෙන්න ආදේධයකුණය

3

n ok syndamen geler 22 anvarg judenge toer 23 group anjesdoere

का दुगरे भर् बक्ते

GEOLOGICAL SURVEY	5. LEASE DESIGNATION AND SERIAL NO.  14-20-603-4495
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTER OF TRIBE NAME Navajo
OIL GAS OTHER	7. UNIT AGREEMENT NAME McElmo Creek
2. NAME OF OPERATOR The Superior Oil Company	8. FARM OR LEASE NAME
8. ADDRESS OF OPERATOR P. O. Drawer 'G', Cortez, Colorado 81321	9. WELL NO. #I-18
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND FOOL, OR WILDCAT McElmo Creek
SE NE Sec. 12, T41S, R24E	11. SEC, T. R., M., OR BLE. AND SURVEY OR AREA  SE NE Sec. 12, T415, R241
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4598 KB	12. COUNTY OR PARISH 13. STATE San Juan Utah

Check Appropriate	D. T:	1 1	NI .	2 N L	<b>D</b>	$\triangle$ .	<b>n</b> .
Check Appropriate	DOX IO	indicate	Nature	of Notice.	Keport, or	Uther	Data
					,		
the state of the s							

NOT	ice of in	TENTION TO:	,	SUF	SEQUENT	REPORT	OF:		31
•						14. 1	1 II		
TEST WATER SHUT-OFF		PULL OR ALTER CASING	WATER	SHUT-OFF			REPAIRING	WELL	
FRACTURE TREAT		MULTIPLE COMPLETE	FRACTUI	RE TREATMENT			ALTERING	CASING.	ري . اشت
SHOOT OR ACIDIZE	<u> </u>	ABANDON*	внооти	NG OR ACIDIZING	X	100	ABANDON	ENT*	
REPAIR WELL		CHANGE PLANS	(Other)		3.1				
(Other)			(N	TOTE: Report re	sults of n	ultiple Report	completio	n on Well form.)	ī

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones pertinent to this work.) *

Squeezed off all perfs with 300 sacks cement. Drilled out to 5465'. Perforated Squeezed perfs 5454-58' with 100 sacks cement. Drilled out to 5418' PBTD. Perf'd 5366-76, 5407-12 with 2 jets per foot. Treated perfs 5366-5412 with 5000 gal 28% acid. Job completed 6/26/67.

6/29/67 - Pumped 88 bbl oil and 26 bbl water in 24 hrs.

18. I hereby certify that the	foregoing is true and correct	· · · · · · · · · · · · · · · · · · ·	
	manual/nb. TITLE_	Production Engineer	DATE July 25, 1967
(This space for Federal	or State office use)		
APPROVED BY	7970170		DATE
CONDITIONS OF APPR	OVAL, IF ANY:		
⇒DDK/nih			

DDK/njh

*See Instructions on Reverse Side

## SUPERIOR OIL

March 2, 1984

DIVISION OF OIL, GAS & MINING

Mr. Norm Stout Utah Division of Oil, Gas and Mining 4241 State Office Bldg. Salt Lake City, Utah 84114

Reference: Notice of Change of Operator

Dear Mr. Stout:

Please be advised that Superior Oil Company is the operator of the McElmo Creek Unit. Accordingly, please update your records to reflect Superior as operator of the following wells:

Well Number API Number	Well Number	API Number
4/S 25E 18	2	SE 1
J-23 43-037-15500	I-14 4/15	43-037-16145
F-20 4/5 SHE 12 15707	<u>I-16</u>	15497
H-20 4/5 24E /2 15708		E /2 15709
M-24 4/5 25E 18 15513	I-20 4/5 2	VE /L 15710
M-18 415 25E 7 15510	K-20 4/5 3	SE 7 15503
M-20 4/5 25E 7 15511	0-08/400 25	
M-22 4/5 25E /8 15512	R-09/405 25	£ 35 16147
N-19 Injection 4/ 252 8 15515	S-12 40	16150
0-/8 Injection 4/1.25E 8 15517	S-14 4/5 2	15E 4 16151
ρ ₄₇ Injection 4/5 25 € 8 15519	S-16 4/5 2	
0-20 <b>1/5 25E</b> 8 15518	T-09405 25	16153
0-18 415 25E 8 15521	T-11 "	16154
0-20 4/5 25E 8 15522	U-12 " "	16155
Q-22 4/5 25£ /7 15323	U-14 4/5 2	SE # 16156
C-16 4/5 342 2 16266	U-16 "	" " 16157
E-14 4/5 24 £ 16268	R-08✓	15329
E-16 415 24E 2 15616	S-05/	15330
E-18 //S QUE // 15706	C-14 4/15 2	4E 24 16265
G-14 4/5 24E / 16143	F-11 - 70%	15617
G-16/4/5 JE 1 16144	G-12	15618
G-18 4/5 24E /2 15494	I-12	15619

If you have any questions, please feel free to call me at (713) 751-7593 or Cheryl Shulman at (713) 751-4862.

Very truly yours,

Carol D. Dorrell

C.D. Dorrell Section Supervisor Western Oil Revenue

CES/tm

# WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEZ SUPERVISOR AREA FOR THE GREATER ANETH FIELD 05/13/86

PROPERTY NAME	WELL NAME	COUNTY	STATE	SEC TWASHP RNG	S T WELL A TYPE T API NUMBER	FEDERAL LEASE NUMBER	STATE NUMBER	UMIT - NUMBER
NC ELHO CREEK	H-16	MAUL MAZ	UT	SW SE 01-415-24E	PROD OF 43-037-30366	14-20-603-4039		96-004190
	H-17	MAUL MAZ	UT	NW NE 12-415-24E	INJ OP 43-637-05665	14-20-603-4039		96-004190
	H-17B	MAUL MAZ	UT	SE SE 1-415-24E	PROD OP 43-037-30415	14-20-603-4039		96-004193
	H-18	SAN JUAN	UT	SW NE 12-415-24E	PROD CP 43-037-30364	14-20-603-4495		96-004190
	H-19	MAUL MAZ	UT	NW SE 12-413-24E	PROD OP 43-037-20304	14-20-603-4495		96-004190
	H-20	MAUL MAZ	UT	SW SE 12-415-24E	PROD OP 43-037-15708	14-20-603-5451		96-004190
	H-21	MAUL MAZ	UT	NW NE 13-415-24E	COMP 43-037-31192	14-20-603-370		96-004190
	H-22	MAUL MAZ	UT	SW NE 13-418-24E	PROD OP 43-037-15950	99500-603-370		96-004190
	H-23	NAUL NAZ	UT	NA SE 13-415-24E	COMP 43-037-31193	14-20-603-370		96-004190
	H-24	HAUL MAZ	UT	SW SE 24-415-24E	PROD TA 43-037-15951	14-20-603-370		96-004190
	H-25	HAUL HAZ	UT	NW NE 24-415-24E	COMP 43-037-31010	14-20-603-370		96-004190
	H-26	MAUL MAZ	UT	SW NE 24-413-24E	PROD OP 43-037-15952	14-20-603-370		96-004190
	I-11	SAN JUAN	UT	NE SE 36-40S-24E	PROD OP 43-037-30358	14-20-0603-6145		96-004190
	I-12	MAUL MAZ	UT	SE SE 36-40S-24E	PROD OP 43-037-15619	14-20-0603-6145		96-004190
	I-13	MAUL MAZ	UT	NE NE -01-415-24E	PROD OP 43-037-30257	14-20-603-4032		96-004190
	I-14	SAN JUAN	UT	SE NE 01-415-24E	PROD OF 43-037-16145	14-20-603-4032		96-004190
	I-15	SAN JUAN	UT	NE SE 1-415-24E	PROD OF 43-037-30361	14-20-603-4039		96-004190
	I-16	MAUL MAZ	UT	SE SE 01-41S-24E	PROD OP 43-037-15497	14-20-603-4039		96-004190
	I-16B	MAUL MAZ	UT	SW SW 06-415-25E	PROD OP 43-037-30417	14-20-603-372		96-004190
	I-17	MAUL MAZ	UT	NE NE 12-415-24E	PROD OP 43-637-30367	14-20-603-4039		96-004190
	.I-18	SAN JUAN	្ឃា	SE NE 12-415-24E	PROD OP 43-037-15709	14-20-603-4495	reg <mark>al</mark> ite.	<b>96-0041</b> 90
	I-19	MAUL MAZ	UT	NE SE 12-415-24E	PROD CP 43-037-30365	14-20-603-4495		96-004190
	I-20	SAN JUAN	UT	SE SE 12-415-24E	INJ OP 43-637-05524	14-20-603-4495		96-004190
	I-21	SAN JUAN	UT	能能13-418-24E	PROD OP 43-037-15953	14-20-603-370		96-004190
	I-22	SAN JUAN	UT	SE NE 13-418-24E	COMP 43-037-31187	14-20-603-370		96-004190
	I-23	SAN JUAN	UT	HE SE 13-415-24E	INJ OP 43-037-16352	14-20-603-376		96-004190
	I-24	SAN JUAN	UT	SE SE 13-413-24E	PROD OP 43-037-30180	14-20-603-370		96-004190
	I-25	MAUL MAZ	UT	NE NE 24-415-24E	INJ OF 43-037-16353	14-20-603-370		96-004190
	1-11	HAUL HAZ	UT.	NW-SW 31-40S-25E	INJ OP 43-037-16354	14-20-603-372		96-004190
	J-12	SAN JUAN	UT	SW SW 31-465-25E	PROD OP 43-037-30342	14-20-603-372		96-604190

orig file.

# **Mobil Oil Corporation**

PIO BOX 5444 DENVER ICCEORADO 80217

January 14, 1985

Utah Divison of Oil, Gas and Mining 355 W. North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attention: Ms. Dianne Nielson, Director

RECEIVED

FEBOT

DIVISION OF OIL GAS & MINING

RE: NOTICES TO SUPERIOR OIL COMPANY

Dear Ms. Nielson:

As a result of the merger which became effective on September 28, 1984, The Superior Oil Companies ("Superior") is now a wholly owned subsidiary of Mobil Corporation.

Effective January 1, 1985, Mobil Oil Corporation began acting on behalf of The Superior Oil Companies as service contractor, for the purpose of performing comprehensive business management and related administrative services. To this end, Superior has entered into a Services Agreement with Mobil and has issued Powers of Attorney to certain Mobil employees, whereby Mobil has agreed to perform all of Superior's obligations and duties, and shall be entitled to enforce all of Superior's rights and privileges, including but not limited to all applicable Operating Agreements and leases (see attached). This shall include, without limitation, the making and receiving of payments, the giving and receiving of notices and other information, and the performance of all other related functions. Therefore, after December 31, 1984, notices to Superior or relative to its interests, assets or obligations should designate Mobil and be mailed to:

PERMITS ONLY

Mobil Oil Corporation P.O. Box 5444 Denver, Colorado 80217-5444 Attention: R. D. Baker

(303) 298-2577

Enclosed is a list of all Superior wells. This list includes the well names, locations, API numbers and producing zone (if applicable).

We appreciate your consideration and cooperation. If you have any questions, please direct them to the undersigned.

Very truly yours,

R. D. Baker

Environmental & Regulatory Manager - West

Enclosure

form 3160-5  dovember 1983)  Formerly 9-331)  DEPARTMENT OF THE INTERIOR verse side:	Expires August 31, 1985  6. LEASE DEBIGNATION AND SPALLE SO
BUREAU O: LAND MANAGEMENT	14-20-603-4495
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	NAVAJO
OIL OTESE OTESE	MCELMO CREEK
SUPERIOR OIL COMPANY, through its Agent, MOBIL OIL CORP	
P. O. DRAWER 'G', CORTEZ, COLORADO 81321	I-18 10. FIRLD AND POOL, OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  Bee also space 17 below.)  At surface	GREATER ANETH
1840' FNL, 555' FEL	Sec. 12 T41S R24E
14. PERMET NO. 43-037-15709   15. REPVATIONS (Show whether SP, ST, CR. etc.)  GL: 4587 *	SAN JUAN UTA
16. Check Appropriate Box To Indicate Nature of Notice, Report, or	Other Data
FEAT WATER SHUT-OFF  POLL OR ALTER CASING  MULTIPLE COMPLETE  SHOOT OR ACIDIZE  BEFAIR WELL  BUILD CATHOUT PROTECTION System  WATER SHUT-OFF  SACTURE TREATMENT  SHOOTING OR ACIDIZING  (Other)  (Now: Report result	REPAIRING WELL  ALTERING CASING  ABANDONMENT ⁶ In of multiple completion on Well  pletion Report and Log form.)
The Superior Oil Co. Date of First Production 9/19/58 Began Drilling: 8/15/58 Finished Drilling: 9/19/58  FEB 10 1986	
To maximize effective corrosion control of metallic piping and strugground, Mobil Oil Corporation, Agent for Superior Oil Company, projectrified cathodic protection system consisting of a subsurface to an above ground rectifier which has a lead connected to the well	poses to construct an graphite anode bed connect
The construction will consist of a trench, 140' long, 6' deep and pit area of the well location. All construction will be confined t well location. Existing electrical power to the well will be used system.	o existing disturbed area
18. I hereby certify that the foregoing in true and correct Sr. Regulatory Enginee	r 2/4/86
SIGNED C. J. Benally ( Last Bautite	DATE
(This space for Federal or State office use)	1
CONDITIONS OF APPROVAL, IF ANY:	

*See Instructions on Reverse Side

FORM NO. DOGM-UIC-1 (Revised 1982)

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING ROOM 4241 STATE OFFICE BUILDING SALT LAKE CITY, UTAH 84114 (801) 533-5771 (RULE I-5 & RULE I-4)



DIVISION OF

IN THE MATTER OF THE APPLICATION OF MOBIL Of Corp os Algent for Superio	OIL, GAS & MINING
ADDRESS P.O. Drawer G  SITE S 132  INDIVIDUAL PARTNERSHIP CORPORATION FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR INJECT FLUID INTO THE MCH I- 8 WELL  SEC. 12 TWP. 415 RANGE 24E  San Juan COUNTY, UTAH	ENHANCED RECOVERY INJ. WELL DISPOSAL WELL IP GAS STORAGE EXISTING WELL (RULE 1-4)

### APPLICATION

Comes now the applicant and shows the Corporation Commission the following:

1. That Rule I-5 (g) (iv) authorizes administrative approval of enhanced recovery injections, disposal or LP Gas storage operations.

2. That the applicant su	bmits the following	information.		
McElmo Creek Unit	/ell No. <i>I-18</i>	Greater	Aneth So	an Juan
ocation of Enhanced Recovery 1840	FNL, 555	EEL I	wp. 415	Rge. 24E
New Well To Be Drilled Yes D No	Old Well To Be Conve	rted No 🗆	Casing Test Yes No	
Depth-Base Lowest Known Fresh Water Within ½ Mile 1290	Does Injection Zone C Oil-Gas-Fresh Water	Contain Within ½ Mile YES	NO 🗆	State What Of E G 25
Location of Production We Injection Source(s) MCEIMO CA	Ils within	Geologic Name(s) and Depth of Source	o(1) Desert (	reek 5600'±
Geologic Name of Desert C	reek	Depth of Injection Interval 5366	1.5407	
a. Top of the Perforated Interval: 530	66 b. Base of Fresh	Water:/293 c.	Intervening Thickness (a	minus b) 4073 1
Is the intervening thickness sufficient to s without additional data?	how fresh water will be	YES - NO-	¥	
Lithology of Intervening Zones	Ttem41	i) on Ah	achment 3	<u> </u>
Injection Rates and Pressures  The Names and Addresses of Those to W	Maximum	3/00 3/00 on Should be Sent.		'D 'SI
None				Difference Control
			[[]][]	
state of Colorad			Applicant	0000
Before me, the undersigned known to me to be the person who path states, that he is duly authority.	ose name is subscri	bed to the above i	eared	ing by me duly sworn o ledge of the facts state
therein, and that said report is true	orized to make the ue and correct.	above report and	100,1986	
Specified and sworn to be	fore me this	2 day of	Diane	wison
My Commission expires _	9/29/89	Notary	Public in and for	Coloi
X = 70	/			

(OVER)

- 1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitive analysis of the injection formation of water.
- 2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
- 3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
  - 4. Attach Electric or Radioactivity Log of Subject well (if released).
- 5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
- 7. The Division is required to send notice of application to he surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehole within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
- 8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
- 9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
- 10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
  - 11. If there is less intervening thickness required by Rule 1-5 (b) 4, attach sworn evidence and data.
- -12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

#### CASING AND TUBING DATA

	•				
NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	133/8"	161	175	Surface	Circulated
Intermediate	8.5/8"	1314	605	Surface	Circulated
Production	5/2"	5604	232	4260'	Calculated
Tubing	2-3/8"	5320'	Name	e - Type - Depth o	Flubing Packer 5320±
Total Depth Geol	ogic Name - Inj	Zane / Depth	- Top of Inj. In	terval Dept	h - Base of Inj. Interval

### PLEASE TYPE OR USE BLACK INK ONLY

(Rule 1-5 (b (Revised 1	982)	(To be filed v	within 30 days	after drill	ing is compl	leted)	COUNTY LEASE NO.	СОМР	ETION & TEST DATA BY I	PRODUCING FORMATION	
			OF NATURAL			VERGY	LEASE NO.	FORMATION			
API NO	640 Acres		Room 4241 Stat						Desert aul		·
	N	<del></del>	Salt Lake Cit	y, Utah 8411		nue 415	rge. <u>24</u> E	SPACING & SPACING ORDER NO.		dia na managaran da managaran da Managaran da managaran da managar	
			OMPANY OPER	ATING #	Draw	11 Con	<b>)</b> .	CLASSIFICATION (DISPOSAL WELL, ENHANCED RECOVERY, LP GAS STORAGE)			
<b>w</b>			OWN <u>COE</u> ARM NAME (L) RILLING STARTE	Elmo C		ELL NOZ	8/32/. -18 9:/3 1058	PERFORATED	5366/5532		
			ATE OF FIRST PI	ODUCTION NE 1/4 SZ	<u>9.185</u> E v NE	8 COMPLETI	10 9.19.58	INTERVALS			
	S cate Well Correct and Outline Lease	, <u> </u>	LEVATION DERR	ICK FLOOR	4597	FT. FRO	M WL OF 14 SEC. 4588	ACIDIZED?	7000 gal 15%		
	MPLETION										
-	one							FRACTURE TREATED?		***	
-			<del></del>								
Cemingle LOCATION E		· <del>- · · · · · · · · · · · · · · · · · ·</del>	<del></del>				•	INITIAL TEST DATA			
	· 	<del> </del>	OIL OR G	AS ZONES				Date	9.19.58		
	Name	-			N			Oli, bbl./day	1720		
•	Name	From	To		Name .	Fron	n Te	Oil Gravity			
Ismo	ry	5209	5348					Gas, Cu. Pt./day	740 ª	CF CF	G
	4 Cree		3545					Gas-Oil Ratie Cu. Ft./Bbl. Water-Bbl./day	430		
								Pumping or Flowing			
			CASING (	L CEMENT				CHOKE SIZE	3/4		
ele-		Sing Set		Cog. Tost		. Cement		FLOW TUBING PRESSURE	275		
Size	Wgt.	Grade	Foot	Psi	Sax	Filiup	Төр	A record of the formation	s drilled through, and pe	rtinent remarks are prese	inted on the reverse.
133/8	27.1	5W5J	161		175		Surface		(Use reverse	side)	
85/8	24	155	1314		605		Surface	I, the undersigned, being first according to the records of this	duly sween upon gath, are	o that this well record is	true, correct and complet
5/2	iss	J55	5604		232		4260	(303) Telephone 565. 220	9 R R R B B B B B B B B B B B B B B B B	my knowledge and beli	- ( Un.
								Telephone		title of representative of	company
					TOTAL DEP	тн <u>5</u>	604	Subscribed and sworn before	me this <u>5</u> day		19.86
PACKERS SE DEPTH	T			<u> </u>			e The state of the			Diane	Wilson
	S FORM MUS	T ALSO BE ATT	ACHED WHEN P	iung Plug	SING FORM	DOGM-UIC-6					GL-1

McElmo Creek Unit Well I-18

#### ATTACHMENT 1

RULE I-5: Application for Approval of Class II Injection Wells

- (a) See attached Form DOGM-UIC-1.
- (b) (1) See attached land plat.
  - (2) See attached Form DOGM-UIC-2.
  - (3) See attached wellbore sketch.
  - (4) i. The intervening thickness between the proposed injection interval and the deepest fresh water sand is over 4000'. All fresh water sands are behind 8-5/8" surface casing which has been cemented around the shoe with cement to surface. Five and one half inch production casing was run to TD and cemented around the shoe with an calculated top of 4260'. Annular pressures will be monitored to insure no behind pipe communication occurs.
    - ii. Maximum Surface Pressure: 3100 psi Maximum Injection Rate: 2000 BWPD.

EORMATION Chinle	<u>DEPTH</u> 1293	<u>LITHOLOGY</u> Shale
DeChelly	2480	Sandstone
Organ Rock	2640	Shale
Hermosa	4403	Limestone
Ismay	5205	Limestone
Gothic	5348	Shale
Desert Creek	5358	Limestone
Chimney Rock	5545	Shale

- (5) i. A throttling valve or choke will be installed at the well to control injection rates.
  - ii. The source of injection water will be Superior's production wells within the McElmo Creek Unit. These wells produce from the Ismay and Desert Creek formations with approximate depths of 5500' and 5600' respectively. Additional water will be obtained from shallow fresh water wells along the San Juan River. This well is also scheduled to begin carbon dioxide injection April 1, 1987. The CO2 will be purchased from Shell Oil Company's Howenweep facility in the McElmo Dome field in Montezuma and Dolores, Counties, Colorado.

#### McElmo Creek Unit I-18

iii. The analysis of injection water is as follows (ppm):


· pp p m / *					
pH:	6.0	Ca:	5,520	S04:	990
C1:	45,000	Mg:	1,340	H2S:	52
Fe:	0	HCO3:	236	Ba:	0
CaCo3:	19,300	CO3:	0		
Specifi	.c Gravity:	1.048			

A current analysis of the injection CO2 is as follows (% Mol Wgt):
CO2: 98.361 CH: 0.132 N2: 1.507


- iv. The proposed injection zone is the Desert Creek formation. The zone is carbonate consisting of limestone, anhydrite and dolomite. This formation extends throughout the Paradox Basin and is underlain by the Chimney Rock Shale and overlain by the Gothic Shale.
- v. All fresh water zones are behind surface casing.
- vi. The analysis of the Desert Creek Formation water is a follows (ppm):


ds 110 *14	i wana mananana ila bahanii	, 4			
рН∶	6 + 4	Cat	6,800	S04:	250
C1:	42,000	Mg∶	1,240	H2S:	49
Fe:	O	HC03:	266	Ba:	0
CaCO3	: 17,000	CO3:	0		
Speci	fic Gravity:	1.046			

- (6) If the proposed injection well must be shut-in, the producing wells can also be shut-in.
- (7) N/A.
- (8) The Division will be notified of the date and time to monitor the mechanical integrity test.
- (9) There are no defective wells in the area.
- (10) N/A.



MCEIMO CREEK UNIT #1-18
GREATER ANEIH FIELD
SAN JUAN COUNTY, UTA





PRESENT WELLBORE SKETCH

13-3/8", 27.1#, SWSJ set to 16 w/175 sx neat reg. cmt. to surface

8-5/8", 24#, J-55 set to 1314' w/605 sx cmt to surface

Desert Creek Zones:

Zone IA: 5366'-76' (2 JSPF) Zone IB: 5407'-12' (2 JSPF)

PBTD: 5418'

TD: 5604'

5½", 14#, J-55 set to 5604' w/132 sx Neat Cmt., 100 sx Diace "D", 496# CaCl to 3604'



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13, 1986

San Juan Record Legal Advertizing Monticello, Utah 84535

Gentlemen:

RE: UIC-080

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the  $20 \mathrm{th}$  day of  $\frac{\mathrm{March}}{\mathrm{Dublished}}$ . In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours, DIVISION OF OIL, GAS AND MINING

larlague Poulsen

MARJORIE L. ANDERSON

Administrative Assistant

mfp 0045A Publication was sent to the following:

Mobil Oil Company

as agent for Superior Oil Company PO Drawer G Cortez, Colorado 81321

Navajo Indian Tribe Window Rock, Arizona 84614

Bureau of Land Management Consolidated Financial Center 324 South State Street Salt Lake City, Utah 84111-2303

U.S. Environmental Protection Agency Suite 1300 Attn: Mike Strieby 999 18th Street Denver, Colorado 80202-2413

Utah State Department of Health Water Pollution Control Attn: Loren Morton 4241 State Office Building Salt Lake City, Utah 84114

San Juan Record Legal Advertizing Monticello, Utah 84535

Newspaper Agency Legal Advertizing Mezzanine Floor 143 South Main Salt Lake City, Utah 84111

March 13, 1986

# BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

#### ---00000---

IN THE MATTER OF THE APPLICATION

OF MOBIL OIL CORPORATION AS AGENT

FOR SUPERIOR OIL COMPANY FOR

ADMINISTRATIVE APPROVAL OF THE

McELMO CREEK UNIT WELLS NO. K-16

LOCATED IN SECTION 6, TOWNSHIP

41 SOUTH, RANGE 25 EAST; AND

NO. I-18 LOCATED IN SECTION 12,

TOWNSHIP 41 SOUTH, RANGE 24 EAST,

S.L.M., SAN JUAN COUNTY, UTAH, TO

BE CONVERTED TO CLASS II ENHANCED:

RECOVERY WATER INJECTION WELLS

---00000---

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Superior Oil Company through its Agent, Mobil Oil Corporation, P.O. Drawer G, Cortez, Colorado, 81321, has requested administrative approval from the Division to convert the following listed wells to enhanced recovery injection wells:

### McELMO CREEK UNIT

#I-18 - Sec. 12, T41S, R24E #K-16 - Sec. 6, T41S, R25E

INJECTION INTERVAL: Desert Creek, 5366' to 5758' MAXIMUM ESTIMATED SURFACE PRESSURE: 3100 psig MAXIMUM ESTIMATED WATER INJECTION RATE: 500-2000 BWPD/WELL

Approval of this Application will be granted unless objections are filed with the Division of Oil, Gas and Mining within fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

DATED this 11th day of March, 1986.

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

CAUSE NO. UIC-080

MARJORIE L. ANDERSON Administrative Assistant



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13,1986

Newspaper Agency Legal Advertizing Mezzanine Floor 143 South Main Street Salt Lake City, Utah 84111 Gentlemen:

RE: UIC-080

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the 20th day of March . In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours, DIVISION OF OIL, GAS AND MINING

MARJORIE L. ANDERSON Administrative Assistant

mfp 0045A

# Affidavit of Publication

### STATE OF UTAH,

### **County of Salt Lake**

SS.



	Cheryl Gierloff	DIVICION OF
BEFORE THE DYVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES		DIVISION OF OIL, GAS & MINING
IN THE MATTER OF UTAH  IN THE MATTER OF THE AP- PLICATION OF MOBIL OIL CORPORATION AS AGENT FOR SUPPEIOR OIL COMPA- NY FOR: ADMINISTRATIVE APPROVAL. OF THE MCELMO CREEK UNIT WELLS NO. K-16 LOCATED IN SECTION 6, TOWNSHIP 41 SOUTH, RANGE 25 EAST, AND NO. 1-18 LOCAT- ED IN SECTION 12, TOWNSHIP 41 SOUTH, RANGE 24 EAST, S.L.M., SAN JUAN COUNTY, UTAH, TO BE CONVERTED TO CLASS II. HEMANCED RECOV- ERY WATER INJECTION WELLS. THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOUTE ENTITLED MAT- TER. Notice 16 hereby given that	Being first duly sworn, deposes and say legal advertising clerk of THE SALT LA a daily newspaper printed in the English general circulation in Utah, and publish City, Salt Lake County, in the State of DESERET NEWS, a daily newspaper English language with general circulati published in Salt Lake City, Salt Lake State of Utah.	AKE TRIBUNE, In language with The language with The language with The language with The language
Notice & hereby given that Superior Off. Company through its Apen, Migbli Oli Corporation, P.O. Drawer G, Cortez, Colora-	That the legal notice of which a copy is	attached hereto
du mass, ind indeesing ou	Applicati <b>n</b> n of Mobil Oil Corporati	on
Divisions to convert the follow- ine listed wells to enhanced re- covery-linection wells;  MCELMO CREEK UNIT  #1-18 SEC 12, T415, RWF  #K, 14/49, C, T415, RWF  #K, 14/49, C, T415, RWF		
INJECTION INTERVAL: Desert Greek, 5364* 05 759* MAXIMUM ESTIMATED SUR- FACE PRESSURE: 3100,0540 MAXIMUM ESTIMATED WA-		
TER INJECTION RATE: 500- 2000 WWPD/WELL Approval of this Application		
will be granted unless objections are filed with the Division of OH/Biss and AMFing within fifteen, dows after geblication of		
of Onzagos and membry within the teen dovs after application of this Rotice. Objections, if any, should be mollection the Division of Cally Cals, and Allining, After Hemselvic: Program Manager, 355. West North Manager, 3 71od Center, Suite, 555. Sait Lake City, Und 84189-1852.  DATED this Jith day of March, 1986.	was published in said newspaper on	
355 West North Stage to 3 Triad Center, Suite 350, Sait Lake	March 20, 1986	
STATE OF UTAH	Phone la	Tion last
GAS AND MINING MAR JORIE L. ANDERSON Administrative Assistant H-32	Legal Advert	tising flerk
	e me this	day of
FIGLETI	A.D. 19	
	B.J. Davis	
	Nota	ry Public
My Commission Expires		
March 1, 1988	STARY PUBL	
	B. T. DAVIS	

### AFFIDAVIT OF PUBLICATION.

#### **Public notice**

BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF MOBIL OIL CORPORATION AS AGENTD FOR SUPERIOR OIL COMPANY FOR ADMINISTRATIVE APPROVAL OF THE McELMO CREEK UNIT WELLS NO. K-16 LOCATED IN SECTION 6, TOWNSHIP 41 SOUTH, RANGE 25 EAST; AND NO. I-18 LOCATED IN SECTION 12, TOWNSHIP 41 SOUTH, RANGE 24 EAST, S.L.M., SAN JUAN COUNTY, UTAH TO BE CONVERTED TO CLASS II ENHANCED RECOVERY WATER INJECTION WELLS.

#### **CAUSE NO. UIC-080**

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Superior Oil Company through its Agent, Mobil Oil Company, P.O. Drawer G, Cortez, Colorado, 81321, has requested administrative approval from the Division to convert the following listed wells to enhanced recovery injection wells:

McELMO CREEK UNIT

#I-18 — Sec. 12, T41S, R24E #K-16 — Sec. 6, T41S, R25E

INJECTION INTERVAL: Desert Creek, 5366' to 5758'

MAXIMUM ESTIMATED SURFACE PRESSURE: 3100 psig

MAXIMUM ESTIMATED WATER INJECTION RATE: 500-2000 BWPD/

Approval of this Application will be granted unless objections are filed with the Division of Oil, Gas and Mining within fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City,

Utah 84108-1203.

DATED this 11th day of March, 1986.

STATE OF UTAH

DIVISION OF OIL,

GAS AND MINING

MARJORIE L. ANDERSON
Administrative Assistant

Published in The San Juan Record March 19, 1986.

ig duly sworn, I. Jovce Martin. depose and say that I am the publisher of the San Juan Record, a weekly newspaper of general circulation published at Monticello, Utah, every Wednesday; that notice of application of Mobil Oil Corp. Cause No. UIC-080 a copy of which is hereunto attached, was published in the regular and entire issue of each number of said newspaper for a period of one issues, the first publication having been made on March 19, 1986. and the last publication having been made on Signature Water Publisher Warter Subscribed and sworn to before me this 19th day of March _____, A.D.____ Trand K adami Notary Public December 2, 1987 My commission expires

### AFFIDAVIT OF PUBLICATION

#### **Public notice**

BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF MOBIL OIL CORPORATION AS AGENTD FOR SUPERIOR OIL COMPANY FOR ADMINISTRATIVE APPROVAL OF THE McELMO CREEK UNIT WELLS NO. K-16 LOCATED IN SECTION 6, TOWNSHIP 41 SOUTH, RANGE 25 EAST; AND NO. I-18 LOCATED IN SECTION 12, TOWNSHIP 41 SOUTH, RANGE 24 EAST, S.L.M., SAN JUAN COUNTY, UTAH TO BE CONVERTED TO CLASS II ENHANCED RECOVERY WATER INJECTION WELLS.

#### CAUSE NO. UIC-080

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Superior Oil Company through its Agent, Mobil Oil Company, P.O. Drawer G, Cortez, Colorado, 81321, has requested administrative approval from the Division to convert the following listed wells to enhanced recovery injection wells:

McELMO CREEK UNIT #1-18 — Sec. 12, T41S, R24E #K-16 — Sec. 6, T41S, R25E INJECTION INTERVAL: Desert

Creek, 5366' to 5758'

MAXIMUM ESTIMATED SURFACE PRESSURE: 3100 psig

MAXIMUM ESTIMATED WATER INJECTION RATE: 500-2000 BWPD/WELL

Approval of this Application will be granted unless objections are filed with the Division of Oil, Gas and Mining within fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84108-1203.

DATED this 11th day of March, 1986.
STATE OF UTAH
DIVISION OF OIL,
GAS AND MINING
MARJORIE L. ANDERSON
Administrative Assistant
Published in The San Juan Record

March 19, 1986.

I, Joyce Martin, ig duly sworn,
depose and say that I am the publisher of the San
Juan Record, a weekly newspaper of general circulation
published at Monticello, Utah, every Wednesday; that
notice of application of Mobil Oil Corp. Cause
No. UIC-080
a copy of which is hereunto attached, was published in
the regular and entire issue of each number of said
newspaper for a period of <u>one</u> issues, the first
publication having been made onMarch 19, 1986.
and the last publication having been made on
Signature Joyee a Martin Publisher
Subscribed and sworn to before me this19th
day of <u>March</u> , A.D. <u>1986</u> .
Angual K adamma Notary Public Residing at Monticello, Utah
My commission expires December 2, 1987



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 8, 1986

Mobil Oil Corporation as agent for Superior Oil Company P.O. Drawer G Cortez, Colorado 81321

Gentlemen:

RE: Injection Well Approval - Cause No. UIC-080

Administrative approval is hereby granted to convert the following wells to Class II enhanced recovery water injection wells:

### McELMO CREEK UNIT - San Juan County, Utah

#I-18 - Sec. 12, T41S, R24E #K-16 - Sec. 6, T41S, R25E

This approval is conditional upon full compliance with the UIC rules and regulations adopted by the Board of Oil, Gas and Mining, and construction and operation of the well as outlined in the application submitted.

If you have any questions concerning this matter, please do not hesitate to call or write.

Best regards,

Dianne R. Nielson

· Nelsur

Director

mfp 7627U

### **Mobil Oil Corporation**

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

### SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

F_rm 3160-5	
Fyrm 3160-5 (November 1983)	
(Formerly 9-331	)

TEST WATER SHUT-OFF

PRACTURE TREAT

SHOOT OR ACIDIZE REPAIR WELL

	STATES
<b>DEP</b> /A	STATES  THE INTER

PULL OR ALTER CASING MULTIPLE COMPLETE

Construct CO2 and H20 Inj lines

BMIT IN Other Instr verse side)	TRIP
---------------------------------------	------

	1004-0 1985	0135
03-4	495	NO.

ARANDON MENT

Check Appropriate Box To Indicate Nature of Notice, Report, o	or Other Data
14. PERMIT NO. 43-037-15709 15. ELEVATIONS (Show whether DF, RT, GR, etc.) GL: 4587	SAN JUAN UTAH
Well: 1840' FNL, 555' FEL, SE NE Pipelines: See attached legal description for line 322	Sec. 12, T41S, R24E,
See also space 17 below.)  At surface  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  At surface  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT GREATER ANETH
P. O. DRAWER 'G', CORTEZ, COLORADO 81321	9. WHLL NO. I-18 Inj. lines
MOBIL OIL CORPORATION	8. PARM OR LEASE NAME MCELMO CREEK
OIL GAB INJECTION LINES WELL WELL OTHER	7. UNIT AGREEMENT NAME MCELMO CREEK
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	NAVAJO
Formerly 9=331)  DEPARTMENT OF THE INTERMED Verse alde)  BUREAU OF LAND MANAGEMENT	16 03-4495

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Mobil Oil Corporation proposes to construct two pipelines, 2675'in length each, in the same ditch.

All the CO₂ and H=20 injection lines will be buried in the same 36 inch ditch with at least 36 inches of cover. Any restoration requirements will be per BIZ-BLO Shiprock stipulations.

Pipe specifications are as follows:

- 1. CO2: 2 3/8" O.D., O.218" wall thickness, Type API 52, X-42, PE BFW Armco Smls pipe.
- 2. H20: 3.5" O.D., 7.58# per foot, Grade A-106, butt welded, cement lined pipe.

Federal approval of this action is required before commencing operations.



**DIVISION OF** 

	OIL GAS & MINING		
SIGNED C. J. Benally	t TITLE _	Sr. Regulatory Coordinator DATE 4/17/86	_
(This space for Federal or State office use)		ACCEPTED BY THE STATE	
APPROVED BY	TITLE _	OF OTAH DAM / ISLONG DE	
CONDITIONS OF APPROVAL, IF ANY:		OR GAS AND MINING	
		7/28/86	
	See Instruct	tions on Reverse Side	

215 NORTH LINDEN STREET CORTEZ, COLORADO 81321

PHONE: 303-565-4496

Mobil Oil as Agent for Superior Oil December 13, 1985 Sheet 1 of 2

### Legal Description, Line 322 (V)

An easement for purposes of a pipeline in the NE¹ of Section 12, T.41S., R.25E., S.L.M., San Juan County, Utah, the centerline being more particularly described as follows:

Beginning at Well I-18 in the NE¹ of Section 12, T.41S., R.25E., S.L.M., San Juan County, Utah, from which point the NE Corner of said Section 12 bears N.16°06'03"E. a distance of 1910.53 ft.;

thence, N.19°50'09"E. a distance of 178.07 ft.;

thence, N.20°28'04"W. a distance of 151.56 ft.;

thence, N.57°40'09"W. a distance of 149.96 ft.;

thence, N.76°54'04"W. a distance of 205.75 ft.;

thence, S.85°54'40"W. a distance of 722.80 ft.;

thence, S.85°42'45"W. a distance of 298.54 ft.;

thence, N.56°29'35"W. a distance of 357.03 ft.;


thence, N.15°14'10"W. a distance of 207.37 ft.;

thence, N.0°29'22"E. a distance of 402.52 ft., from which point the NE Corner of said Section 12 bears N.73°06'10"E. a distance of 2316.98 ft.

Fredric P. Thomas, PE-LS

Utah Reg. No. 4346





	UNITED STATES ARTME OF THE INTERIOR UREAU OF LAND MANAGEMENT	SUBMIT IN TRIPLICATE* (Other Instruction of Percentage)	Budget Bureau No. 1004-0135 Expires August 31, 1985  6. LEASE DESIGNATION AND SEAIAL NO.  14-20-603-4495
	NOTICES AND REPORTS ON proposals to drill or to deepen or plug back to PPLICATION FOR PERMIT—" for such proposals		NAUAJO
I. OIL OAN DELL OF			Medino Creek
Mobil Oil Con	poration		S. PARM OR LEASE NAME
ADDRESS OF OPERATOR	G, Cortez, Co. 8132		9. WELL NO.
4. LOCATION OF WELL (Report loc See also space 17 below.)	ation clearly and in accordance with any State	e requirements.*	I-/8 10. FIELD AND POOL, OR WILDCAT
At surface			Greater Areth
1840' FNL,	555' FEI		11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
14. PERMIT NO.	15. BLEVATIONS (Show whether DF, RT,		Sec 12, 7415, RZ4E  12. COUNTY OR PARISH 13. STATE
	GL: 4588'.		San Juan Utah
16. Che	ck Appropriate Box To Indicate Natu	re of Notice, Report, or O	her Data
MOTICE O	P INTENTION TO:	\$0\$83903	NT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	RBPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CASING
BHOOT OR ACIDIZE	ABANDON®	(Other)	ABANDONMENT*
(Other) Convert		(Nors: Report results of	f multiple completion on Well tion Report and Log form.)
ment to this work.)	TED OPERATIONS (Clearly state all pertinent ded directionally drilled, give subsurface locations  He subject well a do to difficult light-of-Way for it installed and proposed within the		
OF UT	AS, AND MINING		DIVISION OF OIL, GAS & MINING
18. I bereby certify that the to	egoing is four said correct	Tall Op Eng	T. DATE 10.29.86
(This space for Federal or S	tate office use)		
APPROVED BY	TITLE		DATE

*See Instructions on Reverse Side

ORM NO. DOGM-UIC-5

STATE OF UTAH DIVISION OF OIL. GAS, AND MINING Room 4241 State Office Building Salt Lake City, Utah 8414 (801) 533-5771

DIVISION OF OIL, GAS & MINING


RULE 1-7 (d & e)

### NOTICE OF (COMMENCEMENT) (TERMINATION) OF INJECTION (Circle appropriate heading)

heck Appropriate Classification:	(Date of Commencement.) Termination
isposal Well	
nhanced Recovery Injection Well	
Nell Name McElmo Cresh	Unit I-18
12 115	24E sum Say Vuan
Order No. authorizing Injection	080 Date April 8, 1986
Cone into Which Fluid Injected Wester	1 Ose Some I
If this is a Notice of Terminition of injec	jection, please indicate date well commenced injectionction, please indicate if well is to be plugged or returned to production;
returned to production, indicate produ	ucing interval
Operator Mobil Oil Corp	5
Address P.O. Drawer G,	Confg Co 81321
	Signature
	2.12.87 Date
INSTRUCTION: If this is notification of an enhance	nanced recovery project injection termination, it must be accompanied

an individual well status report for all project injection wells.

FORM NO. DOGM-UIC-5 (1981) STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 8414
(801) 533-5771



DIVISION OF OIL, GAS & MINING

RULE 1-7 (d & e)

### NOTICE OF (COMMENCEMENT) (TERMINATION) OF INJECTION (Circle appropriate heading)

heck Appropriate Classification:	Date of Commencement Termination
isposal Well □	
nhanced Recovery Injection Well	
Innanced Recovery Project   Vell Name   MCE/MO Creek	Unit I-18
envior Service 12 Tue 4/5 Ro	24E COURTY Say Vuan
Order No. authorizing Injection	080 Date April 8, 1986 I acel Zone I
one into Which Fluid Injected Deser	f aub Zone I
If this is a Notice of Termination of in	jection, please indicate date well commenced injection.
If this is a Notice of Terminition of injection returned to production, indicate production,	ction, please indicate if well is to be plugged or returned to production; if ucing interval
Operator Mobil Oil Corp	
	Quela Co 8/321
Address P.O. Drawer G,	
	$\mathcal{L}$
	Aldell
	Signature
	2.12.87
	Date

INSTRUCTION: If this is notification of an enhanced recovery project injection termination, it must be accompanied by an individual well status report for all project injection wells.

	UNITED STATES ARTMENT F THE INTER UREAU OF LAND MANAGEMENT		Form approved.  Budget Bureau No. 1004-0135  Expires August 31, 1985  5. LEASE DESIGNATION AND SERIAL NO.  14-20-603-4495
	NOTICES AND REPORTS ( proposals to drill or to deepen or plug l ppelication for PERMIT—" for such p		VAVAJO
OIL CAS	HZ1		McElmo Creek Unit
Mobil Oil Co	ρ.		A SARM OR LEADS NAME
P.O. Drower		81321	1-18
See also space 17 below.) At surface		FEB 17 1987	Greater Aneth  11. 28c, 2, 8, M, OR RLK. AND  21. 20x707 OR ARRA
1840 FNL, 5.	15. BLEVATIONS (Show whether DF	. RT, GR, etc. DIVISION OF	12. COUNTY OF PARISH 18. STATE
45-037-15709	GL: 4587	OIL GAS & MINING	San Juan Utah.
	k Appropriate Box To Indicate N INTENTION TO:		other Data
TEST WATER SHUT-OFF FRACTURE TREAT	PCLL OR ALTER CASING MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	REPAIRING WELL ALTERING CASING
REPAIR WELL (Other)	ABANDON® CHANGE PLANS	(Other) ON OCCUPATION (NOTE: Report results	of multiple-completion on Well etion Report and Log form.)
POC 1 · 28 · 87 RIH POC	RU. POOH w/ P OH w/ tbg. w/ bit and cso OH. Hydrotested 5500 psi. Set p	g scrape to A in hole w/ p	PBTD @ 5419'.
1.29.87 MIRE pert	1 to ocidize De	C Zone I 5366- 28% HCl in +	5412' OIA. Treated three stages using
4.17	BPM. Max pressu	re 1850 psi.	Final pressure
90 6	psi. 151P 900 bls acid water in	5 hrs.	
and	bbed 8 hrs recovery doing do	wn tha.	on Attached ]
8. I hereby certify that the loregy	mg is frue and correct	Staff Op Eng	- DATE 2:12:87
(This space for Federal or Sta	te office use)		¥9 <b>£</b>
APPROVED BY CONDITIONS OF APPROVAL,	IF ANY:		DATE -

*See Instructions on Reverse Side

## Mc Elmo Creek Unit I-18 Conversion

2-1-87 SD for Sunday.

2-2-87 PU and run in hole w/ 169 jts 2-3/1". J-55

ELIE tog internally coated w/ TK.75 and Lok.
Set. pkr. Set okr @ 5327'. Filled annulus

w/ inhibited FW. Tested casing to 1300 psi
for 30 minutes. Made up well head. RDmo.

2-12-87 Completed installation of injection skid.

Placed well on injection.

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING INJECTION WELL INSPECTION RECORD

OPERATOR: Majora	API:	•	
WELL NAME:	FIELD: _		
SECTION: SCIUCIZ TWP:	RANGE:	yu sign	: 2
INJECTION TYPE: DISPOSAL: ENHANC	ED RECOVERY:	STORAGE	:
SINGLE COMPLETION:			
TUBING PRESSURE:	CASING PR	ESSURE:	
SURFACE CASING PRESSURE:			
INJECTING: SHUT-I	N:		
TOTAL BARRELS: 11780	RATE:		
OUAL COMPLETION:		— — — — — — — — — — — — — — — — — — —	**************************************
TUBING PRESSURE:	CASING PRI	ESSURE:	
SURFACE CASING PRESSURE:			
A. SHORT STRING:			
INJECTING: SHUT-I	N:		
TOTAL BARRELS:	RATE:		
3. LONG STRING:	-		
INJECTING: SHUT-II	<b>1</b> :		
TOTAL BARRELS:	RATE:		
REMARKS: Phulo horse house	Lon Ot		
INSPECTOR: (V)	TIME: 1(23	DATE: ((a))	445

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING INJECTION WELL INSPECTION RECORD

OPERATOR: Maki	101	LEASE:	
WELL NAME: MYE/	erku.I-18	API:	43-037-15709
SEC/TWP/RNG: SEINE !	2-415-248	CONTRACTOR:	
COUNTY:		FIELD NAME:	6/2
INJECTION TYPE:			
DISPOSAL:	ENHANCED RECOVE	RY: <u>y</u> 0	THER:
	) was one was due to the case where we have the case was one one one		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
SINGLE COMPLETION:			
INJECTING:	SHUT-IN: x		
RATE:	TOTAL BA	RRELS:	
TUBING PRESSURE:	1900	CASING PRESSU	RE: 7
SURFACE CASING PRE	SSURE: 7		
		الله كنا جُهُ الله كه وقد يها يته كه كنا كنا كنا الله على يها يتها والم	وم الله الله الله والمراجع الله فلك واله الله فله ألمه إلمه فيه بسب بسب بيس والم فيك سبب والم الله الله والم
DUAL COMPLETION:			
A. SHORT STRING:			
INJECTING:	SHUT-IN:	<del>-</del>	
RATE:	TOTAL BA	RRELS:	
TUBING PRESSURE:		CASING PRESSU	RE:
B. LONG STRING:			
INJECTING:	SHUT-IN:	_	
RATE:	TOTAL BA	RRELS:	
TUBING PRESSURE:		CASING PRESSU	RE:
ما الله الله الله الله الله الله الله ال		و الله الله الله الله بين بانه هو هو الله خلف على الله عنه الله الله	100 em بالله الله والله وا
REMARKS: SI	PIJ on Lo	PC	
	/		
	11 11		
INSPECTOR:	MM	DA	TE: 10/17/89

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING OIL AND GAS INSPECTION RECORD

wiw

OPERATOR Mobil		LEASE 14-20	5-603- 449
WELL NO		API 43037	
SEC. /2 T. 4/S R. 24	E CONTRACTOR		
COUNTY San Juan	<del></del>	neth.	
SENE			
DRILLING/COMPLETION/WORKOVE	īr:		
APD ————————————————————————————————————	WELL SIGN POLL. CONTROL	HOUSEKEEPING SURFACE USE	BOPE PITS
OPERATIONS	OTHER		
SHUT-IN / TA :			
WELL SIGNOTHER	HOUSEKEEPING	EQUIPMENT*	SAFETY
ABANDONED:			
MARKER	HOUSEKEEPING	REHAB.	OTHER
PRODUCTION:			<del></del>
WELL SIGN WETERING*	HOUSEKEEPING POLL. CONTROL	EQUIPMENT* PITS	FACILITIES*
SECURITY	SAFETY	OTHER	DISPUSAL
GAS DISPOSITION:			
VENTED/FLARED	SOLD	LEASE USE	
LECENDA V. VEC OR CATT	SEASTORY.		
LEGEND: Y - YES OR SATIS N - NO OR UNSAT	ISFACTORY		
NA - NOT APPLICA	ABLE		
*FACILITIES INSPECTED: /	11/11/11	1 // /:	
*PACILITIES INSPECTED: 4	sell head time	ed pump/location	4
REMARKS: Looks OK			
ACTION:			
A 0 11			
INSPECTOR: Chip Hat		DATE	12/0/86

Form 3160-5 (December 1989)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FOI	UM APPI	COVE	5
Budget B	ureau No	1004	-0139
Experes:	Septemb	er 30.	1990

5 Lease Designation and Serial No.

14-20-603-4495

6. If Indian, Allottee or Tribe Name

Use "APPLICATION FO	If it or to deepen or reentry to a d OR PERMIT—" for such promises	Ifferent reservoir.	NAVAJO TRIBAL
	T IN TRIPLICATE		inst or CA. Agreement Designation
Type of Well Gas Well Well Vother INJECTI	ON WELL SUBSECTION	G 27 1990 . wall	MCFLMO CREEK Name and No.
. Name of Operator			I-18
MOBIL OIL CORPORATION		A TO A CALLED	
Address and Totophose No. %Mobil Explora	tion & Producing U.S. Inc		43-037-15709
P.O. Box 633 Midland T Location of Well (Footage, Sec., T., R., M., or Survey )	exas 79702 Description	10. Field	s and Pool. or Exploratory Area GREATER ANETH
			My or Parish, State
	•		
184 FNL, 555 FEL	SEC. 12, T41S, R24E		San Juan, Utah
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF	NOTICE, REPORT, OR	OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Nouce of Insent	Abendonment		nange of Plans
Subsequent Report	Recompletion	<u></u>	rw Construction
<u>ща эновециям кероге</u>	Plugging Back		on-Routine Fracturing
Final Abandonment Notice	Casing Repeir Altering Casing	~~	mer Shut-Off prversion to Injection
	Other _	CONVERSION TO	0 CO2
Describe Proposed or Completed Operations (Clearly state a		(Note: Report results of multiple of Recompletion Report and Log form	0.)
PSI/HELD		OIL AND GAS	
		DFN RJF	
	UIC		1
	GLH	DIS SLS	-
	DJJ	J-DME	4
	BGH		
	COMPUTER		
	MICROFILM		-
	MOST EXPLOSITION	MICROFILM	
I hereby certify that the foregoing is true and correct	MOSIL EXPLORATION	& P OSTAING U.S.INC.	
	3-2585 Title		
(This space for Federal or State office use)	2-2363 Title	De	MeUUUU-
			**
Approved by	Title	De	we

FC	DRM A	PRC	VED	)
Budget	Bureau	No.	1004	-0135
Expire	s: Septe	mber	⁻ 30.	1990

Form 3160–5 (December 1989)	DEPARTMENT OF		Budget Bureau No. 1004-0135 Expires: September 30, 1990
·	BUREAU OF LANI		5. Lease Designation and Serial No.
Do not use this form	for proposals to drill or	REPORTS ON WELLS to deepen or reentry to a different rese RMIT—" for such proposals	Navajo Tribal
	SUBMIT IN	TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		OliviSlui	
· · · · · · · · · · · · · · · · · · ·	Other Injection W	le11 UIL, BAS &	I-18
2. Name of Operator MOBIL OIL CORPO	ADATTON .		9. API Well No.
		& PRODUCING U.S. INC.	43-037-15709
	MIDLAND, TX 79702		10. Field and Pool, or Exploratory Area
	T., R., M., or Survey Description		Greater Aneth 11. County or Parish, State
		T41S R24E  D INDICATE NATURE OF NOTICE, F	San Juan, Utah REPORT, OR OTHER DATA
TYPE OF SUB	MISSION	TYPE OF A	CTION
Notice of Inter	роп	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Complete (Note: Repor	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  CO2 Conversion  results of multiple completion on Well Completion or
12 Describe Proposed or Complete	ad Operations (Clearly state all pertin	Recompletion	n Report and Log form.) of starting any proposed work. If well is directionally drilled
give subsurface locations	and measured and true vertical dep	Recompletion nent details, and give pertinent dates, including estimated date this for all markers and zones pertinent to this work.)*	n Report and Log form.)  of starting any proposed work. If well is directionally drilled
give subsurface locations  10-5-90 RIH W	pkr set @5322	Recompletion ment details, and give pertinent dates, including estimated date	of starting any proposed work. If well is directionally drilled

Signed Shulow (915) 688-2585  Title	Mobil Exploration & Producing U.S. Inc. As agent for Mobil CIL Colporation	10-15-90 Date
(This space for Federal or State office use)  Approved by Title Conditions of approval, if any:		Date

Form 3160-5 (June 1990)

### UNITED STATES DEPARTMENT OF THE INTERIOR

FOR	M APPR	OVED
Budget Bu	resu No.	1004-013
Expires	: March	31, 1993

**BUREAU OF LAND MANAGEMENT** 5. Lease Designation and Serial No. 14-20-603-4459 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. **NAVAJO TRIBAL** Use "APPLICATION FOR PERMIT-" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE MCELMO CREEK UNIT 1. Type of Well Gas Well Oil 8. Well Name and No. X Other INJECTION I-18 2. Name of Operator MOBIL OIL CORPORATION 9. API Well No. 43-037-15709 3. Address and Telephone No. (915) 688-2585 10. Field and Pool, or Exploratory Area P.O. BOX 633, MIDLAND, TX 79702 **GREATER ANETH** Location of Well (Foolage, Sec., T., R., M., or Survey Description) 1840' FNL, 555' FEL 11. County or Parish, State Sec 12 T415 R24E SAN JUAN, UTAH CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Change of Plans Abandonment **New Construction** Recompletion Plugging Back Non-Routine Fracturing Subsequent Report Water Shut-Off Casing Repair Final Abandonment Notice Altering Casing Conversion to Injection Dispose Water Other (Note: Report results of ma Completion or Recompletion Report and Log form. 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* SEE ATTACHMENT

JAN 03 1994


**DIVISION OF** OIL. GAS & MINING

14. I hereby certify that the foregoing is true and correct 12/29/93 SHIRLEY TODD ENVIR. & REG. TECH Approved by Fodoral Approval if any: Action is Necessary

Tide 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent or representations as to any matter within its jurisdiction

### McElmo Creek Unit I-18 Workover Procedure


- 1. Dig, line and fence a 100+ bbl earth pit. MIRU coiled tubing unit with 1-1/4" coiled tubing. MI Standby Safety Services (303/565-6391) having 5 Scott 30 minute airpacks, five minute escape packs for all coiled tubing/acid stimulation crew, personal H2S monitors for all personnel on location, and one safety man. Acid stimulation company to provide eye wash station. Hook up coiled tubing to water injection line. Lay flow line from wing valve to a choke manifold having two adjustable chokes. Lay flowline from choke manifold to earth pit. Stake and chain flowline down. PT coiled tubing to 6000 psi using injection water.
- 2. RIH with 1-1/4" coiled tubing with perforation wash nozzle and CO to PBTD at 5419' using injection water at maximum circulating rate at maximum circulating pressure of 5000 psi. If unable to CO fill using injection water, attempt to clean out fill using 10 bbl of 15 percent HCL acid containing 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent, neutralizing any unspent acid that returns to pit. If unsuccessful in cleaning well out, POH, RIH with 1-3/4" dynadrill on 1-1/4" coiled tubing and drill out fill. POH.
- 3. MIRU wireline unit with lubricator. RIH with 1-11/16" GR/CCL and log from PBTD through injection packer. POH. Turn off all radios/cellular telephones on location and post warning signs for radio/cellular telephone silence at all roads within 100 yards of location. RIH with 1-11/16" magnetically decentralized hollow steel carrier perforating guns loaded with 3.2 gram RDX charges at 4 SPF, 0 degree phasing and perforate 5366'-5376'. POH. RDMO wireline.
- 4. RU coiled tubing. Pickle coiled tubing with 3 bbls of 15 percent HCL acid, reverse out to pit and neutralize. RIH with 1-1/4" coiled tubing with perforation wash nozzle and spot 5 bbls of xylene across perforations. Let soak for 1 hour. Displace with fresh water. Wash perforations shot in previous step without taking returns using 2 bbls/ft of 15 percent HCL acid. NOTE: All acid pumped into well to contain 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent. Pump rate should be maximum injection rate at 5000 psi surface injection pressure. Overdisplace acid using fresh water. POH. RDMO coiled tubing unit and all surface equipment.
- Pump out and backfill pit. Turn well over to production leaving well shut in.



# Service Center, Inc. 300 Sandstone A

		505-327-5449 Office Farmington, Ne	w r.
·	ALE 1	0/8/90 JEASE MCELMO CREEK 18_	1
:	Y II	3140 27/8 TB9 = .005794	BAL
<b> </b>	-	LANDING IT 51/2 14# CSG = .02440	86
	-	1 45 2/18 x 3/2 ANNUCK = . 6163/	
		Pup JT 27/8 TBG = 30.79 B	SBI
		27/8×51/2 ANNULAR = 87.01 B	B
		Volume TO PACKER 117.80 1	<u>3 B</u>
1			
		166,TS 2718 EU 10/8 CEMENT LINES 5267 82	
3	2	CEMENT LINES 5267 82	
		TRE CONTED PICK UP SLEENE OF THREADS W/BALTER HEL ON E OFF TOO	<u> </u>
		THREADS WI BALTER HEL ON & OFF TOO	
		SUPER B RITH W/166 JT OF 27/8 EU CEMEN	یک
		OF 2 1/8 CU CEMEN	Y I
		TRG. THREADED CO	
		IN BAKER SUPER !	
	.	TASSED UP BAKE	2
		INCERTED PKR	
		Set 9 2355	
5311.17	4	SPACED OUT WELL	
-7. 0.		27/8 BOX x 23/8 PIN X-OUCR .Z	
5311.92		31655	
		33/4 x23/8 x 1.81 "F"HEL 185 PKR SET IN 15,000 F	<u> </u>
5313.77	, J	ONFOFF TOOL 31655   Compression	
		MODEL'B'S HUT OFF 150 PKR FLUID ALREA	Ω_
<b>一</b>	1	UALUE 925 INCOMEL IN HOLE	
5315.27	ļ.—	PRESSURE TOSTED T	
\ /		5/2 45B BAKER 690 1000 PSI FOR 301	
\	I Y I	INJERTED LOW SET WELL READY FOR FIN	4
	$ \Lambda $	PACKER W/6 PE	
<i>5</i> 322.17/		SYSTEM CIRC OUT PACKER FLI	
		W/ NEW PACKER FL	
		w/3 DRums CHemi	CA
		TOTAL TRUE TOOLS 5312 17	
Ĺ		KB ADJUSTMENT 532217	
Ŧ.	Ŧ		
		PERFS: 5366'-5376'	
‡	F	5407'- 5412'	
	Į	HOOK LOAD 3996 + DRY HOLE	
4	W.	359 28 4 Hare Earl	
PBT	ν		
5419	, '		
<del>-</del> -		PKR SCT IN IS DOC COMPRESSION = 18" SLACK OFF	
		PKR SCT IN IS DOO COMPRESSION = 18" SLACK OFF	

### PROFILE HISTORY McElmo Creek Unit I-18



### PROFILE HISTORY:

DATE UPIS LISA LISB LSWA1 LSWA2 DC1A DC1B DC1C DC1D LSWB1 LSWB2 DC2A DC2B DC2C DC2D DC2E DC3A DC3B DC3C DC3D Unknow
9102 39.3 51.9 8.8

Form 3160-5 (June 1990)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

FORM APPROVED dget Burenu No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

	14-20-60	3-4459		
6.	If Indian.	Aliottee or	Tribe	Name

Non-Routine Fracturing

Water Shut-Off

	TRIBAL

Use "APPLICATION FOR PERMIT - " for such proposals	NAVAJO TRIBAL		
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT		
1. Type of Well Oil Gas Well Well Other	8. Well Name and No.		
2. Name of Operator MOBIL EXPLORATION & PRODUCING US, AS AGENT FOR MOBIL OIL CORPORATION	MCELMO CREEK UN 1-18 9. API Well No.		
3. Address and Telephone No.	43-037-15709		
P. O. 633, MIDLAND, TX 79702 (915) 688-2585	10. Field and Pool, or exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	GREATER ANETH		
1840' FNL, 555' FEL; SEC 12, T41S, R24E	11. County or Parish, State		
	SAN JUAN UT		
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	, OR OTHER DATA		
TYPE OF SUBMISSION TYPE OF ACTION			

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimates give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Abandonment Recompletion


Plugging Back

Casing Repair Altering Casing

**PERFORATION** 

04/06/94 MIRU. PERF 5.5" CSG W/6 SPF @ 5366-76. RDMO.

Notice of Intent



-				
14.	I hereby certify that the foregoing is true and correct Signed	Title ENV. & REG. TECHNICIAN	Date	04/13/94
·	(This space for Federal or State office use) Approved by	Title	Date	
	Conditions of approval, if any:			
Ti	itle 18 U.S.C. Section 1001 makes it a crime for any person knowi	ingly and willfully to make to any department or assence	y of the United States any fals	e. fictitious or fraudulent statements

Form 3160-5 (June 1990)

X Subsequent Report

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1904-6135
Expires: Margh 31, 1993

5. Lease Designation and Script No.


CIRINDY NOWICES AND DEPONDS ON THE C	14-29-693-4459		
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  Use "APPLICATION FOR PERMIT - " for such proposals	6. If Indian, Allottee of Tribe Name NAVAJO TRIBAL		
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Disignation MCELMO CREEK UNIT		
1. Type of Well Oil Gas X Other	8. Well Name and No.		
2. Name of Operator MOBIL EXPLORATION & PRODUCING US, AS AGENT FOR MOBIL OIL CORPORATION	MCELMO CREEK UN 1-18 9. API Well No.		
3. Address and Telephone No. P. O. 633, MIDLAND, TX 79702 (915) 688-2585	43-637-13709 10. Field and Poel, or exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1840' FNL, 555' FEL; SEC 12, T41S, R24E	GREATER ANETH  11. County or Parish, State		
	SAN JUAN UT		
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION TYPE OF ACTION			
Notice of Intent Abandonment	Change of Plans		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Plugging Back Casing Repair Altering Casing

**ACIDIZE** 

04/27/94 MIRU CUDD CTU. TEST TO 5000#. TAG 5419' PBTD, SPOT 5 BBLS XYLENE ACROSS PERFS, WAIT 1 IR, ACIDIZE PERFS 2/20 BBLS 15% HCL ACID. RDMO. TURN WELL TO PROD.



		GAS & MITCHG
14. I hereby sertify that the foregoing is true and correct Signed	Title ENV. & REG. TECHNICIAN	Date 05/02/94 V
(This space for Federal or State office use)  Approved by Conditions of approval, if any:	Title	DATE STARKETERS
Title 18 U.S.C. Section 1001, makes it a crime for any person knowing or representations as to any matter within its jurisdiction.	and willfully to make to any department or agency of the Unit	ted States any false. Lotitions or franchicat statem



(June 1990)	TED STATES OF THE INTERIOR LAND MANAGEMENT.	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993  5 Lease Designation and Serial No.
Do not use this form for proposals to de	LAND MANAGEMEDIV. OF OIL, GAS & MIN  AND REPORTS ON WELLS  Ill or to deepen or reentry to a different reservo R PERMIT—" for such proposals	If Indian, Allottee or Tribe Name  IT.  NAURIO TRIBO
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
i. Type of Well  Oil Well Well  Other Inject  C. Name of Operator	jon,	** The Elmo Creek Unit 8. Well Name and No.  Mc Elmo Creek I-1/2
MOBIL OIL CORPORATION  3. Address and Telephone No.		9. API Well No.
P.O. BOX 633, MIDLAND, TX 79702	(915)688-2585	10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey D 1840' FNL, 555' FEL Sec. 12, T415, R24E	escription)	Greater Aneth 11. County or Parish, Sizes San Juan, UT
CHECK APPROPRIATE BOY	O TO INDICATE MATURE OF MOTICE REP	<u> </u>
	s) TO INDICATE NATURE OF NOTICE, REF	
TYPE OF SUBMISSION  Notice of Intent	TYPE OF ACTIO	
Subsequent Report	Abandonment Recompletion Plugging Back	Change of Plans  New Construction  Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing Other MIT Failures	Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well
MIT Failure due	to mechanical or casing the well has a casing let	leak. A procedure
	7	
14. I hereby certify that the foregoing is true and correct Signed Shirley Robertson	Tide Environ mental + Reg Te	CARLLIAN Dece 7-22-95

(This space for Federal or State office use)

### Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

	te original/copy to:  Well File  (Location) SecTwpRng (API No.)	(Return Date) (To - Initials) _	
1.	Date of Phone Call: 8-3-	-95 Time: _	
2.	DOGM Employee (name) Talked to:  NameR_J. FIRTH  of (Company/Organization) _	(Initiated Call 🗱) -	Phone No. ()
3.	Topic of Conversation:M	EPNA/N7370	
4.	Highlights of Conversation:  OPERATOR NAME IS BEING CHAN  NORTH AMERICA INC) TO MOBIL  THIS TIME TO ALLEVIATE CONF  *SUPERIOR OIL COMPANY MERGE	GED FROM M E P N A (MOBIL EXPLOR & PROD. THE NAME TUSION, BOTH IN HOUSE AND A	EXPLORATION AND PRODUCING  CHANGE IS BEING DONE AT  AMONGST THE GENERAL PUBLIC.

### **Mobil Oil Corporation**

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

DECEIVE MAY 1 6 1986

DIVISION OF OIL. GAS & MINING

### SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661 Page No. 1 08/03/95

### STATE OF UTAH INVENTORY OF INJECTION WELLS

	ATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
A. C.	*****	******	*******	***	***	**	*****	*******
MEPNA	•	43-037-15617	F-11	40S	24E	36	WLNI	Y
1	(MOBIL	43-037-16350	H-11	40S	24E	36	INJW	Y
MEPNA	(MOBIL	43-037-15618	G-12	40S	24E	36	INJI	Y
MEPNA	(MOBIL	43-037-15619	I-12	40S	24E	36	WLNI	Y
MEPNA	(MOBIL	43-037-16377	T-8	40S	25E	28	INJW	Y
MEPNA	(MOBIL	43-037-16366	P-7	40S	25E	29	WLNI	Y
MEPNA	(MOBIL	43-037-16362	N-7	40S	25E	29	WLNI	Y
MEPNA	(MOBIL	43-037-15961	M-10	40S	25E	31	INJW	Y
MEPNA	(MOBIL	43-037-16359	L-9	40S	25E	31	WLMI	Y
✓ MEPNA	(MOBIL	43-037-15955	K-12	40S	25E	31	WLNI	Y
MEPNA	(MOBIL	43-037-16354	J-11	40S	25E	31	INJW	Y
✓ MEPNA	(MOBIL	43-037-15958	L-11	40S	25E	31	INJW	Y
√MEPNA	(MOBIL	43-037-15962	M-12	40S	25E	31	INJW	Y
✓ MEPNA	(MOBIL	43-037-16367	P-9	40S	25E	32	WLNI	Y
MEPNA	(MOBIL	43-037-31677	Q12A	40S	25E	32	INJW	Y
MEPNA	(MOBIL	43-037-15968	0-12	40S	25E	32	INJW	Y
<b>✓MEPNA</b>	(MOBIL	43-037-15971	P-11	40S	25E	32	INJW	Y
✓ MEPNA	(MOBIL	43-037-15965	N-11	40S	25E	32	WLNI	Y
MEPNA	(MOBIL	43-037-15967	0-10	40S	25E	32	INJW	Y
<b>MEPNA</b>	(MOBIL	43-037-15964	N-9	40S	25E	32	INJW	Y
MEPNA	(MOBIL	43-037-15973	Q-10	40S	25E	32	INJW	Y
MEPNA	(MOBIL	43-037-30080	T-09A	40S	25E	33	INJW	Y
<b>∠MEPNA</b>	(MOBIL	43-037-16155	U-12	40S	25E	33	INJW	Y
√MEPNA	(MOBIL	43-037-16375	S-10	40S	25E	33	INJW	Y
MEPNA	MOBIL	43-037-30179	R-11A	40S	25E	33	INJI	Y
MEPNA	MOBIL	43-037-16381	U-10	40S	25E	33	INJW	Y
MEPNA	MOBIL	43-037-16147	R-09	40S	25E	33	INJI	Y
<b>MEPNA</b>	MOBIL	43-037-16150	S-12	40S	25E	33	INJW	Y
MEPNA	(MOBIL	43-037-16351	H-13	41S	24E	1	INJW	Y
MEPNA	(MOBIL	43-037-16144	G-16	41S	24E	1	INJW	Y
MEPNA	MOBIL	43-037-16345	F-13	41S	24E	1	INJW	Υ
MEPNA	MOBIL	43-037-16143	G-14	41S	24E	1	INJW	Y
MEPNA	MOBIL	43-037-15495	H-15	41S	24E	1	INJI	v v <b>Y</b>
MEPNA	MOBIL	43-037-15497	I-16	41S	24E	1	WLNI	Y
at the second se	(MOBIL	43-037-31149	F-15A	41S	24E	1	INJI	Y
/	(MOBIL	43-037-16267	D-13	41S	24E	2	INJW	Y
.*	(MOBIL	43-037-16268	E-14	41S	24E	2	INJW	Ÿ
- /	(MOBIL	43-037-16341	D-15	41S	24E	2	INJW	Y
/	(MOBIL	43-037-16340	B-15	41S	24E	2	INJW	Y
✓ MEPNA	(MOBIL	43-037-15616	E-16	41S	24E	2	INJW	Y
MEPNA	(MOBIL	43-037-16265	C-14	41S	24E	2	INJW	Y
MEPNA	(MOBIL	43-037-16338	A-17	41S	24E	10	INJW	Ÿ
MEPNA	(MOBIL	43-037-15704	D-17	415	24E	11	INJW	Ÿ
MEPNA	(MOBIL	43-037-16342	E-19	415	24E	11	INJW	Ÿ
MEPNA	(MOBIL	43-037-15702	C-18	41S	24E	11	INJI	Ÿ
MEPNA	(MOBIL	43-037-15496	H-17	41S	24E	12	INJI	Ÿ
MEPNA	(MOBIL	43-037-16346	G-19	41S	24E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-15709	I-18	41S	24E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-15710	I-20	41S	24E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-15493	F-17	41S	24E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-15494	G-18	41S	24E 24E	12	INJI	Y
MEPNA	(MOBIL	43-037-15494	I-23	41S	24E 24E	13	INJI	Y
	(MOBIL	43-037-16348	G-23	41S	24E	13	INJW	Ÿ
A 1111 1111	(1101111	19091-10340	U-2J	410	2 <del>1</del> 15	τJ	T 140 44	*

	TOR CHANGE HORKSHEET			Routing
	all documentation received by the division rega each listed item when completed. Write N/A if		able.	1-L/C 7-PL/ 2-LWP 8-SJ V 3-PE/9-FILE 4-VLC 4
	nge of Operator (well sold)  ignation of Operator  xxx	Designation of Operator Name (		5-RJF 6-LWP
The op	perator of the well(s) listed below has	s changed (EFFEC	CTIVE DATE: 8-2-	<b>-95</b>
	ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303 ) 564-5212 account no. N7370	_ FROM (former - - -	phone	BIL OIL CORP
	) (attach additional page if needed):	7		
Name: Name: Name: Name:	** SEE ATTACHED **  API:	Entity: _Entity: _Entity: _Entity:	SecTwpRng SecTwpRng SecTwpRng SecTwpRng SecTwpRng	Lease Type: Lease Type: Lease Type:
<u>N</u> A 1.	OR CHANGE DOCUMENTATION  (Rule R615-8-10) Sundry or other <u>l</u> operator (Attach to this form).  (Rule R615-8-10) Sundry or other <u>lega</u> (Attach to this form).			
,	The Department of Commerce has been coperating any wells in Utah. Is comyes, show company file number:	mpany registered 	d with the state	? (yes/no) If
	(For Indian and Federal Hells ONLY) (attach Telephone Documentation For comments section of this form. Manachanges should take place prior to comments.)	agement review of ster	of <b>Federal and</b> l	Indian well operator
	Changes have been entered in the Oil listed above. $(8.3-95)$			g/IBM) for each well
W 6.	Cardex file has been updated for each	well listed abo	ove. 8.31.95	
	Well file labels have been updated for			95
Lec 8.	Changes have been included on the mor for distribution to State Lands and th	nthly "Operator he Tax Commissic	, Address, and Adon. <i>(839</i> 5)	count Changes" memo
Lico.	A folder has been set up for the Open placed there for reference during rout	rator Change fill	le, and a copy of sing of the origi	this page has been

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/ho) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
NA 2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) & No Fee Lesse Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving <b>State leases</b> .
FILMING
1. All attachments to this form have been microfilmed. Date: October 6 1995
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operato Change file.
COMMENTS
950803 Will F5/Not necessary!

WE71/34-35

Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

FORM APPROVED

Budget Bureau No. 1004-0135

* Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-4495

6. If Indian, Allottee or Tribe Name

NAVAJO	TRIBAL
--------	--------

	OSE AFFLICATION FOR FERMIT - TOT SUCH Proposals				
SUBMIT	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT				
Type of Well  Oil Gas Well Other INJECTOR  Name of Operator Mobil Exploration & as Agent for Mobil F  Address and Telephone No.  P.O. Box 633, Midland, TX 79  Location of Well (Footage, Sec., T., R., M., or Survey De 1840' FNL, 555' FEL SEC. 12, T415, R24E	Producing TX & NM Inc. 702 (915) 688-2585	8. Well Name and No.  I - 18  9. API Well No.  43 - 037 - 15709  10. Field and Pool, or exploratory Area GREATER ANETH  11. County or Parish, State			
	) TO INDICATE NATURE OF NOTICE, REPOR	SAN JUAN UT RT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other WORKOVER	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water  (Note: Report results of multiple completion on W			

SEE ATTACHED PROCEDURES



14. I hereby certify that the foregoing is true and correct Signed Shully Robuso	Title ENV. & REG. TECHNICIAN	Date 10-18-95
(This space for Federal or State office use)		
Approved by	Title	Date
Conditions of approval, if any:		Accepted by the
		Accepted by the Utah Division of
Title 18 U.S.C. Section 1001, makes it a crime for any person known	owingly and willfully to make to any department or agency of th	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the state of the state

#### MEPUS, FOUR CORNERS AREA WORKOVER PROGRAM

FIFID: Greater Aneth DATE: 22 SEFT 1995

LEASE: McElmo Creek Unit

WELL: I-18

AFE: 5AR5 for \$135M 8/8ths

PRISM ID #: 0000248

LOCATION: 1840'FNL,555'FEL. SEC. 12-T41S-R24E

ELEVATION: 4598' RKB

TOTAL DEPTH: 5604 FT. MD.

PBTD:

5419 FT. MD.

WORKOVER RIG: BIG A #36

WORKOVER FLUID: 10 ppg brine

5366'-5376', 5407'-5412' 6 SPF EXISTING PERFS:

PROPOSED PERFS: SAME AS EXISTING

LAST INJECTION RATE: 8/MAY/95: 24 BWPD at 2350 psi

PROPOSED WORK: Pull and lay down 2-7/8". 6.5 1b/ft J-55 EUE 8rd flourolined injection tubing, PU 2-7/8" EUE 8rd workstring, retrieve Baker packer, on/off tool, and downhole shut off valve, clean well out using bit and scraper to PBTD at 5419', run GR/METT/CCL log, PT and squeeze casing as necessary, set a wireline set, tubing retrievable packer, complete well with a latching seal assembly using used 2-7/8", 6.5 lb/ft J-55 EUE 8rd KCTS fluorolined tubing.

If the well can not be killed with 10 ppg brine, snubbing operations will be used for this workover until a wireline set production packer having a pump out plug has been set.

JUSTIFICATION: The I-18 failed mechanical integrity testing and was shut in as required by the EPA. This well directly supports 42 BOPD of a total pattern production of 132 BOPD which will be lost if this work is not completed.

PREPARED BY: S. S. MURPHY

Distribution:

E. T. Barber - Aneth

T. M. Kuykendall - Cortez

T. Cochrane - Cortez

W. F. Hannes - 1033 MOB

G. D. Cox - 1103 MOB

S. A. Robertson - 1046 MOB

Aneth Files Cortez Files

### McElmo Creek I-18 <u>Workover Procedure</u> power sources. RU pum head 50 bbls of 10 ppg day to confirm if wel

- Lock and tag out all power sources. RU pump and pump lines to christmas tree. Bullhead 50 bbls of 10 ppg brine into well. Observe well the next day to confirm if well is dead.
- 2. MI workover rig having 108' derrick. Bleed off casing pressure. Unbolt tree and PU 20,000 lbs tension and rotate 1 turn to the left to close downhole shut off valve. If well is not dead, bleed off tubing pressure to confirm downhole shut off valve is closed. If downhole shut off valve will not hold, set a 1.81" plug in the F profile in the on/off tool using slickline.
- 3. Release on/off tool. ND tree. NU and PT BOP's to 3000 psi high and 250 psi low. Circulate hole to 10 ppg brine. PT casing to 1000 psi for 30 minutes (5 percent or less leakoff is acceptable). POH laying down injection tubing. Use open rotary type tongs with backup on collar (Do not use Foster type closed rotary tongs). Install thread protectors while laying down tubing. Send injection tubing to Permian Enterprises in Odessa, Texas for inspection/repair. Send tree to Big Red Tool, Farmington for inspection and replacement of AB modified teflon seal ring in bottom of tree. Have tree returned in time for use on this well.
- 4. If well was not dead, RU snubbing unit. PU and RIH with 2-7/8" J-55 EUE 8rd workstring and on/off tool skirt. Release Baker inverted Lok-Set packer at 5189 and POH. RIH with 4-3/4" rock bit without nozzles and casing scraper for 5-1/2", 14 lb/ft casing on 2-7/8" workstring and CO to PBTD at 5419' EL. POH. NOTE: Space casing scraper out to not enter top perforation at 5366'.
- 5. If 5-1/2" casing failed to PT in Step No. 3, RIH with squeeze packer and locate casing leak. POH. RIH with squeeze packer, 2 jts of 2-3/8" tailpipe and RPB. Set RBP +/- 100' below leak. Set squeeze packer below leak and PT RBP to 2000 psi. Dump 200 lbs of 20/40 sand down workstring slowly and pump to bottom. Wait 1 hour for sand to fall. Reverse out workstring. RIH and tag top of sand to confirm +/- 10' of sand on top of RBP. PU and set tubing tail +/- 50' above location of leak. Set squeeze packer and space out with 15,000 lbs weight on squeeze packer. Pressure backside to 1000 psi and monitor. Establish injection rate of 1-2 BPM using 10 ppg brine at maximum surface injection pressure of 2500 psi. Mix and pump 5 bbls of fresh water spacer, 100 sxs of class B standard cement containing 2 percent CaCl2, followed with 5 bbls fresh water spacer and 10 ppg brine.
- 6. Displace top of slurry to end of tailpipe or to a maximum injection pressure of 2500 psi. Stage squeeze last 4 bbls of cement as necessary to obtain a final squeeze pressure of at least 2000 psi. Release squeeze packer and reverse out. POH. WOC 12 hours.
- 7. RIH with 4-3/4" rock bit without nozzles and casing scraper on 2-7/8" workstring and drill out cement. PT casing to 1000 psi. POH. Resqueeze as necessary. If PT OK then RIH with retrieving tool on workstring. Wash sand off RBP and retrieve same. POH laying down workstring.

- 8. RU Schlumberger wireline and lubricator. PT lubricator to 1000 psi or wellhead pressure if higher. RIH with GR/METT/CCL and log from PBTD at 5419' to 4400'. POH. RIH with junk basket/guage ring to 5320'. POH.
- 9. RIH with the following production packer assembly on wireline:

DESCRIPTION	MAX. O.D.	MIN. I.D.	LENGTHft.
5-1/2" X 2.688" 14 lb/ft wireline set Guiberson Uni-X retrievable seal bore packer (Nickel plated and plastic coated) with 90 Duro Nitrile ends w/78 Duro Polyepichlorohydrin CO2 cente elastomers w/4.5' X 2.688" 316 stainles steel seal bore extension w/Aflas o-rin on all threaded connections	r	2.688	11.42
316 stainless steel sealbore AB modifie box X 2-3/8" EUE 8rd pin x-over	d 4.75	1.995	0.75
6 ft 316 stainless steel 2-3/8", 4.7 lb/ft pup joint w/EUE 8rd AB Modified box X pin	3.063	1.995	6.0
316 stainless steel Model F non-ported seating nipple, Size 1.812 w/2-3/8", 4.7 lb/ft EUE 8rd AB Modified box X pin	3.063	1.812	1.0
6 ft 316 stainless steel 2-3/8", 4.7 lb/ft pup joint w/EUE 8rd AB Modified box X pin	3 <b>.</b> 063	1.995	6.0
316 stainless steel Model R non-ported NoGo seating nipple, Size 1.781 w/2-3/8 4.7 lb/ft EUE 8rd AB Modified box X pin	## #	1.728	1.0
316 stainless steel wireline entry guide w/pump-out plug, size 2-3/8", 4.7 lb/ft EUE 8rd AB-Modified box	3.063	1.995 (After plu pumped out	g

NOTE: All connections to be made up with Baker super B.

10. Set top of packer at 5305'EL. NOTE: Based on METT log, packer setting depth can be adjusted to not set in bad casing or in a casing collar. POH with setting tool. Bleed off casing pressure. RDMO wireline. RD snubbing unit if it was required in previous steps.

11. PU and RIH with the following latch type seal assembly and used injection string:

	MAX. O.D.		
DESCRIPTION	in.	in.	ft
2-3/8", 4.7 lb/ft AB Modified 8rd X 2.688" Guiberson latch nipple w/ATR seals, 7 ft long spacer tube, one ATR seal nipple, one ATR seal unit, one ATR seal unit made of 316 stainless steel, 1/2 muleshoe made of 316 stainless stee I.D. of flow area of seal assembly is	: -1,	1.901	11.0
plastic coated, all 8 TFI stub acme box to have Aflas o-rings, all 10 rd boxes AB modified with Teflon rings installed Assembly to be pressure tested to 3000 using nitrogen prior to being sent to 1	to be psi		
6' pup joint, 2-3/8" 316 stainless stee 4.7 lb/ft with EUE 8rd AB Modified Box Pin		2.25	5.0
316 stainless steel Model F non-ported seating nipple, Size 1.87 w/2-3/8", 4.7 lb/ft EUE 8rd AB Modified box x pin		1.87	2.0
316 stainless steel 2-7/8", 6.5 lb/ft EUE 8rd AB Modified Box X 2-3/8", 4.7 l EUE 8rd pin x-over		2.25	1.0
2–7/8" KCTS box X EUE 8rd pin	3.668	2.14	1.0
2-7/8", 6.5 lb/ft J-55 KETS (Threadmasters Torque Ring) Fluorolined Tubing w/pup joints as required	3.668	2.14 +	/- 5284′

- NOTE: A. All used KCTS tubing to be torque turned to 2250 ft-lbs. All connections of seal assembly and tubing to be made up using Baker super B thread compound containing teflon. Use permitek on permiserts. Bill Allman with Permian to supervise running of tubulars 505/632-8702.
  - B. Rabbit tubing with 2.0" O.D. rabbit.
- 12. Sting seal assembly into production packer and space out for 15,000 lbs compression at surface. PT backside to 500 psi. Rotate to the right and release seal assembly from packer. Install necessary 2-7/8", 6.5 lb/ft J-55 KCTS fluorolined tubing pup joints and landing joint. Reverse circulate fresh water packer fluid containing 1 percent by volume of Tretolite CRW137 corrosion inhibitor/oxygen scavenger.
- 13. ND BOPS. Screw on christmas tree. Insure that Teflon ring in box on christmas tree is a new ring. Snap into snap latch and confirm by pulling 10,000 lbs tension. Land tree and bolt up flange. Pressure tubing to 2500 psi and shear out pump out plug.

14. Perform Mechanical Integrity Test (MIT) for EPA. Contact Jim Walker of the Navajo EPA in Shiprock at 505/368-1040 to witness. Use chart recorder to record test. Send copies of chart to Shirley Robertson, Midland - 1046 MOB, Ed Barber, Aneth, and Aneth files. Fill out Utah tax credit form and submit to Tiny Higman, Cortez office. After obtaining an acceptable MIT, place well on water injection on maximum choke.

#### VENDORS LIST

DESCRIPTION	VENDOR
Snubbing Unit (If Necessary)	Live Well
Corrosion Inhibitor	Tretolite
Supervision of running tubulars	Bill Allman
Torque Turn Services	Tong Rentals, Inc.
Logging, perforating, junk basket/ gauge ring, packer setting	Schlumberger
Production packer, 316 stainless steel tubing nipples, seal assembly, wireline re-entry guide, pump out plug	Guiberson
316 Stainless steel pup joints, x-overs	Guiberson
Cementing Services (If Necessary)	Halliburton
Inspection of Christmas Tree	Big Red Tool
Inspection of used tubing string and repair	Permian Interprises
Bit, scraper, squeeze packer, water hauling	Not Specified

MOBIL OIL RKB 4598'

# Zwnhole Zervice Zenter, Inc. 300 Sandstone A

•	SOS-327-5449 Office Farmington. New
	10 / 9 / 90 T-10
JA(E_	10/8/90 JEASE MCELMO CREEK 48 1
	3140 27/8 TB9 = .005794B1
	195 27/8 x 51/2 ANNULARS = .02440 PM
.	· · · · · · · · · · · · · · · · · · ·
	Pup JT 27/8 TBG = 30.79 BB
	27/8×51/2 ANNULAR = 87.01 BA
	Uorume TO PACKER 117.80 B
4	
1	166, TS 27/8 Eu 10/8
	CEMENT LINES 506/ BZ
1	TRE COATED PICK UP SLEEVE ON
	THEGADS WIBATER   HEL ON FORF TOOL
	SUPER B R.T.H W/166, TS
	SUPER B RITH W/166 JTS OF 27/8 EU CEMENT
	TRG. THREADED COA
	IN BAKER SUPER B
	TASSED UP BAKER
.	INCERTED PKR
	Ser 2 5322
C21117	SPACED OUT WELL
5311.17	
C31, Q3	
5311.92	31655
	33/4 x23/8 x 1.81" F"HEL 185 PKR SET IN 15,000 A
5313.77	ONFOFF TOOL 31655 COM PRESSION
	MODEL'B'S HUT OFF 150 PKR FLUID ALREAD
	UALUE 925 INCOMEL IN HOLE
5315.27	PRESSURE TESTED TO
\	5/2 45B BAKER 690 1000 PSI FOR 30M
	INJERTED LOW SET WELL READY FOR FULL
	PACKER W/6 PE
5322.17/	-SYSTEM CIRC OUT PACKER FLUI
	W/ NEW PACKER FLU
	W/3 DRums CHEMICA
	TOTAL TRAFTOOLS 5312 17
= = = = = = = = = = = = = = = = = = = =	KB ADJUSTMENT 532217
Ŧ.	DEALE: ESCA COSA
	PERFS: 5366'- 5376'
<del>†</del>	5407'- 5412'
J	HOOK LOAD 39916 + DRY HOLE
म् स	35925 # HOLE FULL
30	
PBTD	5-1/2", 14# J-55
5419'	at 56041
<b>5</b> 1. ·	

#### ENGINEERS CALCULATION SHEET

FOR		JOB OR AUTH NO
LOCATION		PAGE
SUBJECT McElmo Creek Un	i+ I-18	DATE 20/SEPT/95
RKB 4598'		BY S.S. MURPHY
	PROPOSE	= n
	TKOTOSE	<u>-                                    </u>
. [ ]		
}		13-36", 27.1 # Armco SWSJ
, ,		at 1611
		41 10.
		·
	4 4	
	4	-14
	3	8-56", 24# J-55 BN STE at 1314"
	3	"
	F. F.	_ 2-7/8", 6.5# J-55 EUE 8rd
		Fluorolined KCTS tubing (4sed)
	1	
	4.6,74	
	H 7	g with a
	"	
	F	-6' 2-36" 316 s.s. pup joint
iberson ATR Latching-		- Guiberson wireline set
al Assembly	F	Uni-I packer at 5305'
,	R	,
		PERFS (Same as Existing)
	# #	
	↓ I	5366'-5376'
	<b>‡</b>	5407 - 54121
	<b>圭</b>	
	† †	
		- 5-1/2",14# J-55 at 5604'
- F	PBTD 5419'	- 3-/2 , 1 TH
•	TD 5604	

Form 3160-5 (June 1990)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ΛΤ	<del>-</del>	-		3 17	أربيل	Ш	W		
	1		1	Bud 19UB	FOR ₄	AP	PHO	/ED	Was
	1 ,	ממ	٦ _	Bud	get Boo	obuy/i	<b>》</b>	1004	-0135
	1 6	77	$\mu$ 5	194	Kpiss K	Mg	9	1, 1	<i>)</i> 93
- 1	ľ				The second second		2000	-	

5	19 <b>4</b>	x pices	ولا	<b>9</b> 31,	1993
5 1	este l	-	ition :	Ad Sar	al No

STREET, NOTICE AND DESCRIPTION OF THE PERSON	14-20-603-4495
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  Use "APPLICATION FOR PERMIT -" for such proposals	GAS Sandias Allottes of Tribe Name NAVAGE THIBAL
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation MCELINO CREEK UNIT
1. Type of Well Oil Gas X Other INJECTOR	8. Well Name and No.
2. Name of Operator Mobil Exploration & Producing U.S. Inc. as Agent for Mobil Producing TX & NM Inc.	MCELMO CREEK I-18 9. API Well No.
3. Address and Telephone No. P.O. Box 633, Midland, TX 79702 (915) 688-2585	43-037-15709 10. Pield and Pool, or exploratory Assa
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  1840' FNL, 555' FEL  SEC. 12, T41S, R24E	GREATER ANETH  11. County or Parish, State  SAN JUAN UT
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	
TYPE OF SUBMISSION TYPE OF ACTION	
Notice of Intent Abandonment Recompletion	Change of Plans New Construction
X Subsequent Report Plugging Back	Non-Routino Fracturing
Final Abandonment Notice  Casing Repair Altering Casing  Other  WORKOVER	Water Shat-Off Conversion to Injection Dispose Water (Note: Report Smalls of statistics on Well
3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of star give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  11-17-95 TO 11-27-95 MIRU, CIRC 10# BRINE. PRES TEST CSG TO 1000 P00H 2 7/8" TBG. SNUB IN W/ BIT & CS TO 5419' (PBTD). SET PKR @ 5280 CMT LINED 2 7/8" TBG, PRESS TEST CSG TO 1000# PSI F/ 30 MIN & HELD.	O# PSI F/ 30 MIN & HELD, 6', TALLY IN M/ 167 JTS
가는 하는 것이다. 전략적으로 함께 하는 것이다. 그는 것이 모든데 그런 그는 것이 되었다. 그는 것이 되었다. 당근 것이 많은 것이 말은 그리고 생물이 하는 것이다. 그리고 그릇한 것이다. 그리고 그리고 있다.	

4. I hereby certify that the foregoing is true and correct Signed Shuley Robottoo	Title	ENV.	å	REG.	TECHN	ICIAN		Date	04-10-	-96	
(This space for Federal or State office use)  Approved by  Conditions of approval, if any:	Title							Date			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictiff or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

#### 14-20-603-4495


6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals NAVAJO TRIBAL 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE MCELMO CREEK UNIT 1. Type of Well 8. Well Name and No. X Other MCELMO CREEK UNIT 2. Name of Operator MOBIL PRODUCING TX & NM INC.* *MOBIL EXPLORATION & PRODUCING US INC. AS AGENT FOR MPTM 9. API Well No. 3. Address and Telephone No. 43-037-15709 P.O. Box 633. Midland TX 79702 10. Field and Pool, or exploratory Area (915) 688-2585 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) GREATER ANETH (SE/NE)SEC. 12, T41S, 24E 11. County or Parish, State 1840' FNL & 555' FEL UT SAN JUAN CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF ACTION TYPE OF SUBMISSION Change of Plans Notice of Intent Abandonment **New Construction** Recompletion X Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Final Abandonment Notice Conversion to Injection Altering Casing Dispose Water ote: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* SCHEDULED MIT (1998)


ATTACHED MIT & CHART

			DIV. OF OIL, GAS & MINING							
14. Thereby certify that the foregoing is true and corn	rect for	Title SHIR	LEY HOUCHINS	. ENV.	& REG.	TECH	Date	1-25-99		
(This space for Federal or State office use)  Approved by Conditions of approval, if any:		Title					Date			
Title 18 U.S.C. Section 1001, makes it a crime for a	ny person knowingly	and willfully to	make to any departn	nent or agend	cy of the U	Inited States	any false	, fictitious or fi	raudulent sta	tements
or representations as to any matter within its jurisdict		Co - In adama	Van an Bayanaa	Side			-		<del></del>	

## ANNULAR PRESSURE TEST (Mechanical Integrity Test)

Operator MOBIL E. & P., INC		Date of To	est
Well Name RT # I-18		EPA Pern	nit No
Location SEC. 12, T41S-R24	E	Tribal Lea	ase No. 14206034495
State and County S SAN JUAN.	UTAH		
Continuous Recorder? YES		essure Gauge? Y	ES NO D
Bradenhead Opened? YES	NO D Flu	id Flow? YES	□ NO □
TIME	ANNULUS P	RESSURE, psi	TUBING PRESSURE, psi
9:29 Am	1048	1079	2750 gurge
9:34 AM	104	1079	2-750
9-39 Am	1048	1078	2750
9:44 Am	1045	1075	2750
9:49 Am	1045	1075	2150
9:54 AM	1045	1075	2750
9.59 AVVI	1045	1075	2750
MAX. INJECTION PRESSURE:	2750	PSI	magn panggraph W 0.05
REMARKS: Passed? Failed? If	failed, cease inje-	ction until well p	
PASSED MIT			
1 Masca 1 111			MECEIVEM
			JAN 28 1999
			DIV. OF OIL, GAS & MINING
IAN BENALLY		and the same of th	12-9-98
COMPANY REPRESENTATIVE			DATE
Action and the second s	ennak. Cla	h_	12-9-98
INSPECTOR: (Print and Sign	n)		DATE





Production Company

ExxonMobil Production Company U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

1/2/2001 SW 543

ExonMobil
Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Dose.

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

ĠA	<b>n</b> 4	ھا	_	_	n	
เวเร	m	юı	177	-	п	

The current listing of officers and director Corporation), of	or Of ExxonMobil Oil Corporation (Name of
New York	(State) is as follows:
	OFFICERS
President F.A. Risch	Address 5959 Las Colinas Blvd. Irving. TX 75039
Vice President K.T. Koonce	Address 800 Bell Street Houston, TX 77002
Secretary F.L. Reid	Address 5959 Las Colinas Blvd, Irving, TX 75039
Treasure B.A. Maher	Address 5959 Las Colinas Blvd. Irving, TX 75039
	DIRECTORS ,
Name D.D. Humphreys	Address 5959 Las Colinas Blyd, Irving, TX 75039
Name P.A. Hanson	Address 5959 Las Colinas Blvd. Irving, TX 75039
Alama	Address 5959 Las Colinas Blvd. Irving, TX 75039
Name <u>B.A. Haher</u>	
Name F.A. Risch	
	Sincerely,  Marrea  Alex Correa
and in the custody of Corporation	n pertaining to ExxonMobil Oil Corporation (Corporation)  cords and accounts covering business for the State of Utah  Service Company (Agent), Phone: 1 (800 )927-9800  cr. 201 South Main Street, Salt Lake City, Utah 84111-2218
(CORPORATE SEAL)	Signature AGENT AND ATTERNEY IN FACT
	Title
The training of the second	•



I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

#### **CHANGE OF COMPANY NAME**

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Hanice M. Phillip Notary Public

#### LISTING OF LEASES OF MOBIL OIL CORPORATION

1)

#### Lease Number

14-20-0603-6504

2)	14-20-0603-6505
3)	14-20-0603-6506
4)	14-20-0603-6508
5)	14-20-0603-6509
6)	14-20-0603-6510
7)	14-20-0603-7171
8)	14-20-0603-7172A
9)	14-20-600-3530
10)	14-20-603-359
11)	14-20-603-368
12)	14-20-603-370
13)	14-20-603-370A
14)	14-20-603-372

15) 14-20-603-372A

16) 14-20-603-4495 17) 14-20-603-5447

18) 14-20-603-5448

19) 14-20-603-5449

20)

14-20-603-5450

21) 14-20-603-5451



#### CHUBB GROUP OF INSURANCE COMPANIES

G. Weiler, J. Sei Shuth, Suite 1900, Mouston, Texas, 77027-3301
 G. Sei 227-4600 r. February, (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Qil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





Federal Insurance Company Vigilant Insurance Company **Pacific Indemnity Company** 

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretar

STATE OF NEW JERSEY County of Somersel

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duty sworm, did depose and say that he is Assistant should be applicable to the foregoing Power of Attorney are such converted adults and users thereto allied by authority of the By-Laws of said Companies; and that he Secretary of PELEKAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDENING I COMPANY and knows the porporate seats unersor, that the seals affixed to the foregoing Power of Attorney are such corporate seats and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Robertson and Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. 160 se

Notary Public State of New Jersey No. 2231647

Commission Expires Qct 28 2004 ON

HaidAnPose

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelinite to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or cartificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is Scensed in American Semon, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seats of said Companies at Warren, NJ this  $\underline{12th}$ 







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/09

06/01 '01 09:06 NO.135 02/04

F010601000 187

#### CERTIFICATE OF AMENDMENT

OF

#### CERTIFICATE OF INCORPORATION

OB

CSC 45

#### MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
  - "1st The comporate name of said Company shall be,
    ExxoniMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

C\$C

5184334741

06/01 '01 08:47 NO.410

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all overtanding shares entitled to wote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President


STATE OF TEXAS COUNTY OF DALLAS

F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]



CSC CSC

5184334741

06/01 '01 09:01 NO 411 02/02 F010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION

TAX S

5959 Las Colinas Blvd

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 MATERIAL ESTATE SERVICES

010601000

,TEL=5184334741

06/01/01 08:19

≥> CSC

State of New York | State | State | State |

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

ExxonMobil Production Comp U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte J. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

HECEVED

29 2001

DIVISION OF OIL, GAS AND MINING



#### United States Department of the Interior

#### BUREAU OF INDIAN AFFAIRS NAVATOREGION

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

| 1次 270 mg 27 39: 15

**RRES/543** 

#### CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures 
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM L CONTROL RESOURCES
NATV AM IN COORD
SOLID FOR TEAM
PETROMENT ISAN Z
TELAUST STILLING
O&GINGHED YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILES

#### **OPERATOR CHANGE WORKSHEET**

#### ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent

#### **X** Operator Name Change

Merger

The operator of the well(s) listed below has chan	ged, effective:	06-01-2001				
FROM: (Old Operator):		<b>TO:</b> ( New O ₁	perator):			
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION				
Address: P O BOX DRAWER "G"		Address: US V	VEST PO	BOX 4358		
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	358		
Phone: 1-(970)-564-5212		Phone: 1-(713)				
Account No. N7370		Account No.		<u> </u>		
	No.	Unit:		O CREEK		
WELL(S)	<u> </u>					
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NAVAJO 2-D (MCELMO A-17)	10-41S-24E	43-037-16338	99990	INDIAN	WI	A
MCELMO CR C-18		43-037-15702		INDIAN	WI	A
NAVAJO H-2 (MCELMO D-17)		43-037-15704		INDIAN	WI	A
NAVAJO D-2 (MCELMO E-19)		43-037-16342		INDIAN	WI	A
MCELMO CR G-18		43-037-15494		INDIAN	WI	A
MCELMO CREEK I-18		43-037-15709		INDIAN	WI	A
MCELMO CREEK I-20		43-037-15710		INDIAN	WI	A
NAVAJO TRACT 13-4 (MCELMO F-17)		43-037-15493		INDIAN	WI	A
NAVAJO TRACT 13-3 (MCELMO H-17)		43-037-15496		INDIAN	WI	A
NAVAJO J-2 (MCELMO G-19)		43-037-16346		INDIAN	WI	A
NAVAJO E 23-13 (MCELMO G-23)		43-037-16348		INDIAN	WI	A
MCELMO CREEK UNIT I-23		43-037-16352		INDIAN	WI	A
MCELMO CR G-21A		43-037-30974		INDIAN	WI	A
NAVAJO E 41-14 (MCELMO E-21)		43-037-16343		INDIAN	WI	A
NAVAJO E 43-14 (MCELMO E-23)		43-037-16344		INDIAN	WI	A
MCELMO CREEK G-25		43-037-16349		INDIAN	WI	A
MCELMO CREEK U I-25		43-037-16353		INDIAN	WI	A
NAVAJO P-12 (MCELMO V-13)		43-037-16383		INDIAN	WI	A
NAVAJO P-10 (MCELMO V-15)		43-037-16384		INDIAN	WI	A
MCELMO CREEK S-14		43-037-16151		INDIAN	WI	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed	ON					
1. (R649-8-10) Sundry or legal documentation was rece	eived from the FUR	MER operator	on:	06/29/2003	<u>l</u>	
2. (R649-8-10) Sundry or legal documentation was rece	eived from the NEV	V operator on:	06/29/200	1		
3. The new company has been checked through the <b>Dep</b>	partment of Comm	erce, Division	of Corpora	tions Datab	ase on:	04/09/20
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	579865-014	13	
5. If NO, the operator was contacted contacted on:	N/A					

6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or India		as approve BIA-06/01/0		ange,
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit or	perator for wells	listed on:	06/01/2001	
8.	Federal and Indian Communization Agreen The BLM or BIA has approved the operator for all well	• •		N/A	
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the				
D	ATA ENTRY:				
1.	Changes entered in the Oil and Gas Database on:	04/16/2002			
2.	Changes have been entered on the Monthly Operator C	Change Spread S	Sheet on:	04/16/2002	
3.	Bond information entered in RBDMS on:	N/A			
4.	Fee wells attached to bond in RBDMS on:	N/A			
ST	TATE WELL(S) BOND VERIFICATION:				
1.	State well(s) covered by Bond Number:	N/A			
FI	EDERAL WELL(S) BOND VERIFICATION:				
1.		N/A			
IN	DIAN WELL(S) BOND VERIFICATION:				
1.	Indian well(s) covered by Bond Number:	80273197			
FI	EE WELL(S) BOND VERIFICATION:				
1.	(R649-3-1) The NEW operator of any fee well(s) listed of	covered by Bond	Number	N/A	
	The <b>FORMER</b> operator has requested a release of liabilit The Division sent response by letter on:	ty from their bon N/A	d on:	N/A	
	CASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells has of their responsibility to notify all interest owners of this	been contacted a	and informed N/A	l by a letter from the Divisi	ion
CC	DMMENTS:				
			*****		
_					

#### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

ROUTING			
1.	DJJ	1	
2.	CDW		

#### X Change of Operator (Well Sold)

#### Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006		
FROM: (Old Operator):	TO: ( New Operator):			
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	al Resources Company		
PO Box 4358	1675 Broadway, Suite 1950			
Houston, TX 77210-4358	Denver, CO 802	202		
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460			
CA No.	Unit:	MC ELMO (UIC)		
OPERATOR CHANGES DOCUMENTATION				
Enter date after each listed item is completed	EODMED amagatag an	a: 4/21/2006		
1. (R649-8-10) Sundry or legal documentation was received from the		4/21/2006		
2. (R649-8-10) Sundry or legal documentation was received from the			(/7/2006	
3. The new company was checked on the Department of Commerce			6/7/2006	
	Business Number:	5733505-0143		
5. If <b>NO</b> , the operator was contacted contacted on:				
6a. (R649-9-2)Waste Management Plan has been received on:	requested			
6b. Inspections of LA PA state/fee well sites complete on:	n/a			
6c. Reports current for Production/Disposition & Sundries on:	ok			
7. Federal and Indian Lease Wells: The BLM and or the I	BIA has approved th	e merger, name change	<b>)</b> ,	
or operator change for all wells listed on Federal or Indian leases of	on: BLN	<u>M</u> n∕a <u>BIA</u>	not yet	
8. Federal and Indian Units:				
The BLM or BIA has approved the successor of unit operator fo	r wells listed on:	not yet		
9. Federal and Indian Communization Agreements ("	CA"):			
The BLM or BIA has approved the operator for all wells listed v	vithin a CA on:	n/a		
10. Underground Injection Control ("UIC") The D	ivision has approved UI	C Form 5, Transfer of Aut	hority to	
Inject, for the enhanced/secondary recovery unit/project for the w	ater disposal well(s) liste	ed on: 6/12/2006		
DATA ENTRY:				
1. Changes entered in the Oil and Gas Database on:	6/22/2006			
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on:	6/22/2006		
3. Bond information entered in RBDMS on:	<u>n/a</u>			
4. Fee/State wells attached to bond in RBDMS on:	<u>n/a</u>			
5. Injection Projects to new operator in RBDMS on:	6/22/2006			
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a	- N - N - N - N - N - N - N - N - N - N	- 100 Marie 1	
BOND VERIFICATION:				
1. Federal well(s) covered by Bond Number:	<u>n/a</u>			
2. Indian well(s) covered by Bond Number:	PA002769	n/a		
3. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed covered b				
a. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:n/a n/a	<u></u>		
LEASE INTEREST OWNER NOTIFICATION:				
4. (R649-2-10) The <b>FORMER</b> operator of the fee wells has been con	tacted and informed by	a letter from the Division		
of their responsibility to notify all interest owners of this change on:  n/a				
COMMENTS:	71.6			

#### STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT					
Well Name and Number See attached list	100.00	API Number Attached			
Location of Well Footage: See attached list	County : San Juan	Field or Unit Name McElmo Creek Unit			
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list			

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OF	PERATOR		
Company:	Exxon Mobil Oil Corporation	Name:	
Address:	PO Box 4358	Signature:	
	city Houston state TX zip 77210-4358	Title:	
Phone:	(281) 654-1936	Date:	
Comments:	Exxon Mobil has submitted a separate, signed cop	v of UIC Form 5	
Gorillicitis.	Exxon Mobil has submitted a separate, signed cop	y of UIC Form 5	

NEW OPERAT	FOR		
Company:	Resolute Natural Resources Company	Name:	Dwight E Mallory
Address:	1675 Broadway, Suite 1950	Signature:	Ju Elly
	city Denver state CO zip 80202	Title:	Regulatory Coordinator
Phone:	(303) 534-4600	Date:	4/20/2006
Comments:	A list of affected UIC wells is attached.  New bond numbers for these wells are:  BIA Bond # PA002769 and US EPA Bond # B001252		

(This space for State use only)

Transfer approved by:

Approval Date: b/12/06

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING			5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7. UNIT OF CA AGREEMENT NAME: McElmo Creek Unit	
1. TYPE OF WELL OIL WELL		Unit Agreeme		8. WELL NAME and NUMBER: See attached list
2. NAME OF OPERATOR:	ces Company N2700		45.00	9. API NUMBER:
Resolute Natural Resour	ces Company /4 / 100		PHONE NUMBER:	Attached  10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950	TY Denver STATE CO ZI		(303) 534-4600	Greater Aneth
4. LOCATION OF WELL			- 10 - 3.12.153745514	Amala P. S. S.
FOOTAGES AT SURFACE: See a	inacien iist			COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:			STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICA	TE NATURE C	F NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	***	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE T		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR CHANGE TO PREVIOUS PLANS	NEW CONST		TEMPORARILY ABANDON
8 <del> </del>	CHANGE TUBING	OPERATOR (		U TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	(START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	=	N OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLET	E - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR C	OMPLETED OPERATIONS. Clearly show all	pertinent details incl	uding dates, depths, volume	es, etc.
Effective June 1, 2006 Ex Resolute Natural Resource	xxon Mobil Oil Corporation resignates Company is designated as su	ns as operator ouccessor opera	of the McElmo Cree tor of the McElmo (	k Unit. Also effective June 1, 2006 Creek Unit.
A list of affected producin UIC Form 5, Transfer of A	ng and water source wells is attac Authority to Inject.	ched. A separa	te of affected injecti	on wells is being submitted with
As of the effective date in	oond coverage for the affected we	alle will transfor	to BIA Bond # DAG	002760
As of the ellective date, b	ond coverage for the affected we	ens will transfer	to bia bond # PAC	02769.
NAME (PLEASE PRINT) Dwight E	Мыногу)	TITLE	Regulatory Coord	linator
1 t 21	1/2	3000-000	4/20/2006	
SIGNATURE 0.9	$\rightarrow$	DATE	4/20/2000	· · · · · · · · · · · · · · · · · · ·
(This space for State use only)			100	
APPROVED 6 122106 RECEIVED				
111 IC	7			RECEIVED
$\mathcal{C}_{\mathbf{A}}$	L Venia KAINIOO			100 -

(5/2000)

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

APR 2 4 2006

DIV. OF OIL, GAS & MINING

	Di	STATE OF UTAH EPARTMENT OF NATURAL RESOL	IDOES	FORM 9	
DIVISION OF OIL, GAS AND MINING			5. LEASE DESIGNATION AND SERIAL NUMBER:		
S	SUNDRY N	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock 7. UNIT Of CA AGREEMENT NAME:	
Do not use this form for pro	oposals to drill new v drill horizontal latera	wells, significantly deepen existing wells below coals. Use APPLICATION FOR PERMIT TO DRILL	urrent bottom-hole depth, reenter plugged wells, or form for such proposals.		
1. TYPE OF WELL	OIL WELL	GAS WELL OTHER	Injection	8. WELL NAME and NUMBER:  McElmo Creek	
2. NAME OF OPERATOR:		1110		9. API NUMBER:	
ExxonMobil Oil ( 3. ADDRESS OF OPERATO		N 1855	I PHONE NUMBER:	attached  10. FIELD AND POOL, OR WILDCAT:	
P.O. Box 4358		Houston STATE TX Z	, 77210-4358 (281) 654-1936	Annual Control of the	
4. LOCATION OF WELL FOOTAGES AT SURFACE	DE:		CONTRACTOR OF ACCUMENTS	COUNTY: San Juan	
QTR/QTR, SECTION, TO	OWNSHIP, RANGE,	MERIDIAN:		STATE: UTAH	
11. CHE	CK APPRO	PRIATE BOXES TO INDICA	TE NATURE OF NOTICE, RE	PORT, OR OTHER DATA	
TYPE OF SUBMI	SSION		TYPE OF ACTION		
NOTICE OF INTE	NT [	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplica		ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date wo	rk will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON	
6/1/2006	ĮE	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR	
		CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT RI (Submit Original F		CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
Date of work complete	. " VE	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work complete	<u> </u> [	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:	
		CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMAT	ION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, McElmo Creek lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.  Attached please find a listing of injection wells included in the transfer.					
i i	aurie Kilhric	de	Permitting Su	nervisor	

(This space for State use only)

Eprline Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician RECEIVED APR 2 1 2006

DIV. OF OIL, GAS & MINING

4/19/2006

## GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

MCELMO CREEK   D15			¥ 11 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5				(6)					
MCELMO CREEK H11	Dealess		1.5		10 Table 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
MCELMO CREEK   112	Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK   112	MOEI NO ODEEK	1111										
MCELMO CREEK F11 430371561700S1 Shut-in 14-20-0603-6146 NW W W 32 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 430371561800S1 Active 14-20-0603-6146 SE SW 36 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6147 NW SE 2 41S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK A17 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-2048A NW SE 2 64 40S 26E 0660FSL 1980FEL MCELMO CREEK G14 430371618075 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A 30037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A 30037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A 30037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1820FWL MCELMO CREEK G14 A0037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1820FWL MCELMO CREEK G14 A0037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1820FWL MCELMO CREEK G14 A0037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1060FNL MCELMO CREEK G14 A0037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1060FNL MCELMO CREEK G14 A0037163600S1 Active G14-2								_	_		1855FSL	2100FEL
MCELMO CREEK   D15	MCELMO CREEK	112	430371561900S1	Active	14-20-0603-6145	SE	SE	36	40S	24E	0595FSL	0595FEL
MCELMO CREEK   D15		- 545								KI .	0	
MCELMO CREEK A17 43037163400S1 Active 14-20-603-6147 NW SE 2 41S 24E 1830FSL 1				Shut-in	14-20-0603-6146	NW	SW	36	40S	24E	1885FSL	0820FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F	MCELMO CREEK	G12	430371561800S1	Active	14-20-0603-6146	SE	SW	36	40\$	24E	1910FNL	2051FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F								<u> </u>			200	
MCELMO CREEK C14 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 0500FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-2048A NW SE 2 8 40S 25E 0660FSL 1980FEL MCELMO CREEK R13 430371614700S1 Active 14-20-0603-2057 NW NW 3 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 060FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 060FNL 060FWL 0625FWL	MCELMO CREEK	D15	430371634100S1	Active	14-20-0603-6147	NW	SE	2	41S	24E	1830FSL	1830FEL
MCELMO CREEK C14 430371626700S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F14 430371626700S1 Shut-in 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F18 43037163700S1 Shut-in 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 2036FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK R13 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FWL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E										-0:		
MCELMO CREEK D13 420371626500S1 Active 14-20-0603-6509 S NW 2 41S 24E 2140FNL 2140FWL  MCELMO CREEK D13 42037162670OS1 Active 14-20-0603-6510 NW NE 2 41S 24E 205FNL 1920FEL  MCELMO CREEK E14 430371626800S1 Active 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL  MCELMO CREEK T08 43037163770OS1 Shul-in 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL  MCELMO CREEK R09 43037161470OS1 Active 14-20-0603-2048A SW SE 28 40S 25E 0660FSL 1980FEL  MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW NW 33 40S 25E 2030FSL 0680FWL  MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW SW 33 40S 25E 2030FSL 0680FWL  MCELMO CREEK R13 43037161490OS1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL  MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL  MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL  MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL  MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL  MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL  MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 54 41S 25E 1980FNL 1980FWL  MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NE 4 41S 25E 2005FNL 1820FWL  MCELMO CREEK NH 430371637800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL  MCELMO CREEK NH 430371637800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL  MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL  MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL  MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL  MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NW 18 41S 25E 1980FNL 0680FNL 0680FNL 1820FNL 182	MCELMO CREEK	A17	430371633800S1	Active	14-20-0603-6148	NE	NE	10	41S	24E	1270FNL	0660FEL
MCELMO CREEK E14 430371626700S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL 0500FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R108 430371614700S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R11A 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S11 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 0500FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0600FNL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-263 NW NW				555							- 115	
MCELMO CREEK   D13   430371626700S1   Active   14-20-0603-6510   SE   NE   2   41S   24E   2050FNL   10500FEL	MCELMO CREEK	C14	430371626500S1	Active	14-20-0603-6509	SE	NW	2	41S	24E	2140FNL	2140FWL
MCELMO CREEK   E14			)		- A - A - A - A - A - A - A - A - A - A							
MCELMO CREEK   E14	MCELMO CREEK	D13	430371626700S1	Active	14-20-0603-6510	NW	NE	2	41S	24E	0820FNL	1920FFL
MCELMO CREEK R09	MCELMO CREEK	E14	430371626800S1	Active	14-20-0603-6510	SE						
MCELMO CREEK R11												0000. 22
MCELMO CREEK   R11A   430371614700S1   Active   14-20-603-2057   NW   NW   33   40S   25E   2030FSL   0680FWL	MCELMO CREEK	T08	430371637700S1	Shut-in	14-20-603-2048A	sw	SE	28	40S	25F	0660ESI	1980FFI
MCELMO CREEK											OGGGI GE	10001 EE
MCELMO CREEK         R11A         430373017900S1         Active         14-20-603-2057         NW         SW         33         40S         25E         2030FSL         0680FWL           MCELMO CREEK         R13         430371614800S1         Active         14-20-603-2057         NW         NW         4         115         25E         1990FSL         0660FWL           MCELMO CREEK         R15         430371614900S1         Active         14-20-603-2057         NW         W         4         15         25E         1990FSL         0500FWL           MCELMO CREEK         S10         43037161500S1         Active         14-20-603-2057         SE         NW         33         40S         25E         1980FNL         1980FWL           MCELMO CREEK         S14         43037161500S1         Active         14-20-603-2057         SE         NW         4         415         25E         2005FNL         1820FWL           MCELMO CREEK         S16         43037163000S1         Active         14-20-603-2057         NW         W         4         415         25E         0700FSL         1820FWL           MCELMO CREEK         T13         430371637900S1         Active         14-20-603-2057         NW         NE	MCELMO CREEK	R09	430371614700S1	Active	14-20-603-2057	NW	NW	33	405	25F	0500ENI	0625EWI
MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 NW SW 4 41S 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S14 430371615100S1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 SE SW 41S 25E 00645FSL 2140FWL MCELMO CREEK S16 430373008000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2039FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK T15 43037163500S1 Active 14-20-603-2057 NW NE 41S 25E 1050FNL 2090FEL MCELMO CREEK U10 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 1050FNL 2090FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 2060FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 2060FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 2060FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 2060FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 2060FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 2060FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 2060FSL MCELMO CREEK U15 43037163900S1 Active 14-20-603-263 NW NW NW 31S 25E 0500FNL 2060FNL 2060FNL MCELMO CREEK U15 43037153900S1 Active 14-20-603-263 NW NW NW 31S 25E 0660FSL 1810FWL MCELMO CREEK U17 43037153900S1 Active 14-20-603-263 NW NW NW 31S 25E 0660FSL 1800FNL MCELMO CREEK U17 43037150500OS1 Active 14-20-603-263 NW NW NW 31S 25E 0660FSL 1800FNL MCE	MCELMO CREEK	R11A										
MCELMO CREEK	MCELMO CREEK	R13										
MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE SW 33 40S 25E 0645FSL 2140FWL MCELMO CREEK S14 4303716150OS1 Active 14-20-603-2057 SE NW 4 14IS 25E 2005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T09A 43037300800S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK T15 430371637900S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK U10 43037163780OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 43037163500S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0660FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 430371638400S1 Active 14-20-603-2057 NW NW NW NW NW SE 25E 0550FSL 0745FEL MCELMO CREEK U14 430371638400S1 Active 14-20-603-2057 NW	MCELMO CREEK	R15										
MCELMO CREEK   S12												
MCELMO CREEK   S14												
MCELMO CREEK   S16   430371615200S1   Active   14-20-603-2057   SE   SW   4   41S   25E   0700FSL   1820FWL												
MCELMO CREEK   T19A   43037308000S1   Active   14-20-603-2057   NW   NE   33   40S   25E   0940FNL   2035FEL						-						
MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK T15 430371637800S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK U16 430371638300S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK J17 430371638600S1 Active 14-20-603-2057 NW SW 3 41S 25E 0500FNL 0500FWL MCELMO CREEK J17 A3037163800S1 Active 14-20-603-2057 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K18 43037163500S1 Active 14-20-603-263 NW NW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0500FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 7 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FNL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 NW NE 7 41S 25E 0600FNL 1900FEL MCELMO CREEK M19 43037155000S1 Active 14-20-603-263 NW NE 18 41S 25E 0600FNL 0900FNL MCELMO CREEK M19 43037155100S1 Active 14-20-603-263 NW NW 17 41S 25E 1800FNL 060							Commercial	_				
MCELMO CREEK   T15												
MCELMO CREEK         U10         430371638100S1         Active         14-20-603-2057         SE         NE         33         40S         25E         1980FNL         0610FSL           MCELMO CREEK         U12         430371615500S1         Active         14-20-603-2057         SE         SE         33         40S         25E         0660FSL         0805FEL           MCELMO CREEK         U14         430371615600S1         Active         14-20-603-2057         SE         NE         4         41S         25E         0660FSL         0805FEL           MCELMO CREEK         U16         430371615700S1         Active         14-20-603-2057         SE         NE         4         41S         25E         0550FSL         0745FEL           MCELMO CREEK         V13         430371638400S1         Active         14-20-603-2057         NW         NW         3         41S         25E         0860FNL         0550FWL           MCELMO CREEK         J17         430371638400S1         Active         14-20-603-263         NW         NW         7         41S         25E         0820FNL         0550FWL           MCELMO CREEK         J21         430371549800S1         Active         14-20-603-263         NW         NW												
MCELMO CREEK   U12   430371615500S1   Active   14-20-603-2057   SE   SE   33   40S   25E   0660FSL   0805FEL												
MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0660FNL 0660FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 43037163600S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0550FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 05575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 1800FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1980FSL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0820FNL 0790FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FSL 0660FWL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW												
MCELMO CREEK         U16         430371615700S1         Active         14-20-603-2057         SE         SE         4         41S         25E         0550FSL         0745FEL           MCELMO CREEK         V13         430371638300S1         Active         14-20-603-2057         NW         NW         3         41S         25E         0660FNL         0660FWL           MCELMO CREEK         V15         430371638400S1         Active         14-20-603-2057         NW         NW         3         41S         25E         0660FNL         0560FWL           MCELMO CREEK         J17         430371549800S1         Active         14-20-603-263         NW         NW         7         41S         25E         0820FNL         0550FWL           MCELMO CREEK         J19         430371635600S1         Active         14-20-603-263         NW         NW         7         41S         25E         0256FNL         1997FWL           MCELMO CREEK         K18         430371635700S1         Active         14-20-603-263         SE         NW         7         41S         25E         0400FNL         0575FWL           MCELMO CREEK         K20         430371635000S1         Active         14-20-603-263         SE         NW												
MCELMO CREEK   V13												Andrew Co. Co.
MCELMO CREEK   V15   430371638400S1   Active   14-20-603-263   NW   NW   7   41S   25E   0820FNL   0550FWL												
MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 18 41S 25E 2056FNL 1997FWL MCELMO CREEK K18 430371549800S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K22 43037304000OS1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 2022FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L17 43037163600OS1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550700S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 2140FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1800FSL 1980FEL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NS 8 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NS 8 41S 25E 0660FNL 0660FWL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NS 8 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NS 8 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NS 8 41S 25E 1850FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NS 8 41S 25E 1850FNL 0660FWL MCELMO CREEK N21 43037155100S1 Active 14-20-603-263 NW NW NS 8 41S 25												
MCELMO CREEK J19	WICELINIO CREEK	V 15	43037163840051	Active	14-20-603-2057	INW	SW	3	415	25E	1980FSL	0560FWL
MCELMO CREEK J19	MCELMO ODEEK	14.7	40007454000004		11 00 000 000							
MCELMO CREEK   J21   430371549900S1   Active   14-20-603-263   NW   NW   18   41S   25E   0400FNL   0575FWL												
MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371635800S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551500S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551600S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 1890FWL										_		
MCELMO CREEK         K20         430371550300S1         Active         14-20-603-263         SE         SW         7         41S         25E         0660FSL         1810FWL           MCELMO CREEK         K22X         430373040000S1         Active         14-20-603-263         SE         NW         18         41S         25E         2082FNL         1588FWL           MCELMO CREEK         K24         430371635800S1         Active         14-20-603-263         SE         SW         18         41S         25E         2082FNL         1588FWL           MCELMO CREEK         L17         430371636000S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FSL         1801FWL           MCELMO CREEK         L19         430371550500S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FSL         1801FWL           MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         7         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         NE												
MCELMO CREEK         K22X         430373040000S1         Active         14-20-603-263         SE         NW         18         41S         25E         2082FNL         1588FWL           MCELMO CREEK         K24         430371635800S1         Active         14-20-603-263         SE         SW         18         41S         25E         0660FSL         1801FWL           MCELMO CREEK         L17         430371636000S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FSL         1801FWL           MCELMO CREEK         L19         430371550500S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FSL         2140FEL           MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         NE         18         41S         25E         1980FEL           MCELMO CREEK         M18         430371551100S1         Active         14-20-603-263         SE         NE         7 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
MCELMO CREEK         K24         430371635800S1         Active         14-20-603-263         SE         SW         18         41S         25E         0660FSL         1801FWL           MCELMO CREEK         L17         430371636000S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FNL         1980FEL           MCELMO CREEK         L19         430371550500S1         Active         14-20-603-263         NW         NE         7         41S         25E         1860FSL         2140FEL           MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         NE         18         41S         25E         1980FSL         1980FEL           MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M19         430371551400S1         Active         14-20-603-263         NW         NW								-			0660FSL	1810FWL
MCELMO CREEK         L17         430371636000S1         Active         14-20-603-263         NW         NE         7         41S         25E         0660FNL         1980FEL           MCELMO CREEK         L19         430371550500S1         Active         14-20-603-263         NW         SE         7         41S         25E         0860FNL         1980FEL           MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW											2082FNL	1588FWL
MCELMO CREEK         L19         430371550500S1         Active         14-20-603-263         NW         SE         7         41S         25E         1860FSL         2140FEL           MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         SE         18         41S         25E         1980FSL         1980FEL           MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         1850FNL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S         25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         NW								18	418	25E	0660FSL	1801FWL
MCELMO CREEK         L21         430371550600S1         Active         14-20-603-263         NW         NE         18         41S         25E         0820FNL         1980FEL           MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         SE         18         41S         25E         1980FSL         1980FEL           MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S         25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         NW         NW         17         41S         25E         0860FNL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW				Active	14-20-603-263	NW	NE	7	41S	25E	0660FNL	1980FEL
MCELMO CREEK         L23         430371550700S1         Active         14-20-603-263         NW         SE         18         41S         25E         1980FSL         1980FEL           MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S         25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         SW         8         41S         25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         NW         17         41S         25E         0660FNL         0660FWL           MCELMO CREEK         O18         430371551700S1         Active         14-20-603-263         SE			430371550500S1	Active	14-20-603-263	NW	SE	7	415	25E	1860FSL	2140FEL
MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S 25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S 25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S 25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         SW         8         41S 25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         NW         17         41S 25E         0660FNL         0660FWL           MCELMO CREEK         018         430371551700S1         Active         14-20-603-263         SE         NW         8         41S 25E         1830FNL         1890FWL			430371550600S1	Active	14-20-603-263	NW	NE	18	41S	25E	0820FNL	1980FEL
MCELMO CREEK         M18         430371551000S1         Active         14-20-603-263         SE         NE         7         41S         25E         1850FNL         0790FEL           MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S         25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         NW         8         41S         25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         NW         17         41S         25E         0660FNL         0660FWL           MCELMO CREEK         O18         430371551700S1         Active         14-20-603-263         SE         NW         8         41S         25E         1830FNL         1890FWL		L23	430371550700S1	Active	14-20-603-263	NW	SE					1980FEL
MCELMO CREEK         M20         430371551100S1         Shut-in         14-20-603-263         SE         SE         7         41S         25E         0660FSL         0660FEL           MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         8         41S         25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         SW         8         41S         25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         NW         17         41S         25E         0660FNL         0660FWL           MCELMO CREEK         O18         430371551700S1         Active         14-20-603-263         SE         NW         8         41S         25E         1830FNL         1890FWL			430371551000S1	Active	14-20-603-263			_		$\overline{}$		
MCELMO CREEK         N17         430371551400S1         Active         14-20-603-263         NW         NW         NW         8         41S 25E         0810FNL         0660FWL           MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         SW         8         41S 25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         17         41S 25E         0660FNL         0660FWL           MCELMO CREEK         O18         430371551700S1         Active         14-20-603-263         SE         NW         8         41S 25E         1830FNL         1890FWL		M20						_	_			
MCELMO CREEK         N19         430371551500S1         Active         14-20-603-263         NW         SW         8         41S         25E         1850FSL         0500FWL           MCELMO CREEK         N21         430371551600S1         Active         14-20-603-263         NW         NW         17         41S         25E         0660FWL           MCELMO CREEK         O18         430371551700S1         Active         14-20-603-263         SE         NW         8         41S         25E         1830FNL         1890FWL	MCELMO CREEK	N17						_				
MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK											
MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL								-				
MOSING ODESIGNATION OF THE LOCAL METERS OF THE								_				
MCELMO CREEK  P17  430371551900S1   Active   14-20-603-263   NW  NE  8   41S   25E   0660FNL   1980FEL				Active	14-20-603-263			_			0660FNL	1980FEL

## GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

		2 .177 0-00 707			Surface Location							
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN		NS Foot	EW Foot	
The second second			- Clarac	Trog Zodoo II		- C.	1000		1410	110 1 000	LVV 1 OOL	
MCELMO CREEK	P19	430371552000S1	Active	14-20-603-263	NW	SE	8	41S	25E	2140FSL	1980FEL	
MCELMO CREEK	P21	430371636900S1	Active	14-20-603-263	NW	NE	17		25E	0660FNL	1980FEL	
MCELMO CREEK	P23A	430373143900S1	Active	14-20-603-263	sw	NE	17			2531FNL	2325FEL	
				585			1			-37		
MCELMO CREEK	L25	430371550800S1	Active	14-20-603-264	NW	NE	19	41S	25E	0660FNL	1980FEL	
			V.II.							11.52	1,1,1,1,1	
MCELMO CREEK	R17	430371597600S1	Active	14-20-603-359	NW	NW	9	41S	25E	0740FNL	0560FWL	
MCELMO CREEK	R19	430371637300S1	Active	14-20-603-359	NW	sw	9	41S		1980FSL	0660FWL	
MCELMO CREEK	R21	430371637400S1	Active	14-20-603-359	NW	NW	16			0511FNL	0562FWL	
MCELMO CREEK	T17	430371638000S1	Active	14-20-603-359	NW	NE	9	_	25E	0675FNL	1933FEL	
MCELMO CREEK	E21	430371634300S1	Active	14-20-603-370	NE	NE	14	41S	24E	0660FNL	0660FEL	
MCELMO CREEK	E23	430371634400S1	Active	14-20-603-370	NE	SE	14	41S		2031FSL	0711FEL	
MCELMO CREEK	G21A	430373097400S1	Active	14-20-603-370	NE	NW	13	41S		0867FNL	1883FWL	
MCELMO CREEK	G23	430371634800S1	Shut-in	14-20-603-370	NE	SW	13	41S	24E	2092FSL	1899FWL	
MCELMO CREEK	G25	430371634900S1	Active	14-20-603-370	NE	NW	24	41S	24E	0660FNL	1980FWL	
MCELMO CREEK	123	430371635200S1	Active	14-20-603-370	NE	SE	13	41S		1980FSL	0660FEL	
MCELMO CREEK	125	430371635300S1	Active	14-20-603-370	NE	NE	24	41S	24E	0530FNL	0820FEL	
					1			300				
MCELMO CREEK	J11	430371635400S1	TA'd	14-20-603-372	NW	SW	31	40S	25E	1980FSL	0660FWL	
MCELMO CREEK	J13	430371635500S1	Active	14-20-603-372	NW	NW	6	41S	25E	0621FNL	0580FWL	
MCELMO CREEK	J15	430371595400S1	Active	14-20-603-372	NW	SW	6	41S	25E	1980FSL	0500FWL	
MCELMO CREEK	K12	430371595500S1	Active	14-20-603-372	SW	SW	31	40S	25E	0670FSL	1970FWL	
MCELMO CREEK	K14	430371595600S1	Active	14-20-603-372	SE	NW	6	41S	25E	1851FNL	1885FWL	
MCELMO CREEK	K16	430371595700S1	Active	14-20-603-372	SE	SW	6	41S	25E	0660FSL	1816FWL	
MCELMO CREEK	L09	430371635900S1	Active	14-20-603-372	NW	NE	31	40S	25E	0660FNL	1980FEL	
MCELMO CREEK	L13	430371595900S1	Active	14-20-603-372	NW	NE	6	41S		0778FNL	1917FEL	
MCELMO CREEK	L15	430371596000S1	Active	14-20-603-372	NW	SE	6	41S		1820FSL	1830FEL	
MCELMO CREEK	M10	430371596100S1	Shut-in	14-20-603-372	SE	NE	31	40S	25E	1980FNL	0530FEL	
MCELMO CREEK	M12	430371596200S1	Active	14-20-603-372	SE	SE	31	40S	25E	0590FSL	0585FEL	
MCELMO CREEK	M14	430371596300S1	Active	14-20-603-372	SE	NE	6	41S	25E	2089FNL	0773FEL	
MCELMO CREEK	M16	430371636100S1	Active	14-20-603-372	SE	SE	6	41S	25E	0660FSL	0660FEL	
MCELMO CREEK	N09	430371596400S1	Shut-in	14-20-603-372	NW	NW	32	40S	25E	0628FNL	0615FWL	
MCELMO CREEK	N11	430371596500S1	Active	14-20-603-372	NW	SW	32	40S	25E	2069FSL	0618FWL	
	N13	430371596600S1	Active	14-20-603-372	NW	NW	5	41S	25E	0840FNL	0505FWL	
MCELMO CREEK	N15	430371636300S1	Active	14-20-603-372	NW	SW	5	41S	25E	2140FSL	820FWL	
MCELMO CREEK	012	430371596800S1	Active	14-20-603-372	SE	SW	32	40S	25E	0809FSL	1832FWL	
	014	430371636500S1	Active	14-20-603-372		NW	5	418	25E	2056FNL	1997FWL	
MCELMO CREEK	O16	430371596900S1	Active	14-20-603-372	SE	SW	5	418	25E	0660FSL	1980FWL	
MCELMO CREEK	P09	430371636700S1	Active	14-20-603-372	NW	NE	32	408	25E	0598FNL	2100FEL	
MCELMO CREEK	P11	430371597101S2	Active	14-20-603-372	NW	SE	32	40S	25E	2105FSL	2006FEL	
MCELMO CREEK	P13	430371636800S1	Active	14-20-603-372	NW	NE	5	41S	25E	0610FNL	1796FWL	
MCELMO CREEK	P15	430371597200S1	Active	14-20-603-372			5	41S	25E	1980FSL	1980FEL	
MCELMO CREEK	Q10	430371597301S1	Active	14-20-603-372	SE	NE	32	40S	25E	1899FNL	0532FEL	
MCELMO CREEK	Q16	430371597500S1	TA'd	14-20-603-372	SE	SE	5	41S	25E	0660FSL	0660FEL	
NACTION OF THE PARTY OF THE PAR												
MCELMO CREEK	F13	430371634500S1	Active	14-20-603-4032				41S		0795FNL	0535FWL	
MCELMO CREEK	F15A	430373114900S1	Active	14-20-603-4032		-		41S		1920FSL	0624FWL	
MCELMO CREEK	G14	430371614300S1	Active	14-20-603-4032		NW	1	41S	24E	1980FNL	1980FWL	
MCELMO CREEK	G16	430371614400S1	Active	14-20-603-4032	SE	SW	1	41S	24E	0820FSL	1820FWL	
MCELMO CREEK	H13	430371635100S1	Active	14-20-603-4032	NW	NE		41S			2110FEL	
MCELMO CREEK	I-14	430371614500S1	Active	14-20-603-4032	SE	NE		41S		1980FNL	0660FEL	

### GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

Reg Lease Name		API Num		Reg Lease #	Surface Location							
	Well ID		Status		Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot	
								NSC.				
MCELMO CREEK	F17	430371549300S1	Active	14-20-603-4039	NW	NW	12	41S	24E	0740FNL	0500FWL	
MCELMO CREEK	G18	430371549400S1	Active	14-20-603-4039	SE	NW	12	41S	24E	1980FNL	1980FWL	
MCELMO CREEK	H15	430371549500S1	Active	14-20-603-4039	NW	SE	1	41S	24E	1980FSL	1980FEL	
MCELMO CREEK	H17	430371549600S1	Active	14-20-603-4039	NE	NW	12	418	24E	0660FNL	1980FEL	
MCELMO CREEK	118	430371570900S1	Active	14-20-603-4495	SE	NE	12	415	24E	1840FNL	0555FEL	
1.2				- Aii								
MCELMO CREEK	E19	430371634200S1	Shut-in	14-20-603-5449	NE	SE	11_	41S	24E	1980FSL	0660FEL	
MCELMO CREEK	G19	430371634600S1	Active	14-20-603-5450	NE	SW	12	41S	24E	1350FSL	1800FWL	
MCELMO CREEK	120	430371571000S1	Active	14-20-603-5451	SE	SE	12	41S	24E	0990FSL	0500FEL	
MCELMO CREEK	N07	430371636200S1	Active	I-149-IND-8839	NE	sw	29	40S	25E	2083FSL	745FWL	
MCELMO CREEK	P07	430371636200S1	Active	I-149-IND-8839	NW	SE	29	40S	25E	1820FSL	2140FEL	
MCELMO CREEK	O10	430371596700S1	Active	NOG99041325	SE	NW	32	40S	25E	2086FNL	1944FWL	